

2023版

本册上所有标注的规格仅供参考，最终以产品实物为准。本册所有标注的规格，仅供参考，不作为法律依据。如有变更，恕不另行通知。请留意。

Version 2023

This manual is for reference only, please refer to the actual product. The content is for reference only and does not constitute a legal basis. For any change, please pay attention.



YIDI MOTION

河北义迪进出口贸易有限公司

HEBEI YIDI IMPORT AND EXPORT TRADING CO.,LTD

ADD:1-1-501,DONGFANG YIYUAN,CHANG'
AN DISTRICT,SHIJIAZHUANG CITY,CHINA

Tel:+86-18134111662,Fax:+86 151-30853762

Email: adam@yidimotion.com,Web:www.yidimotion.com



产品说明书


精工电机 品质超越卓越



河北义迪进出口贸易有限公司

HEBEI YIDI IMPORT AND EXPORT TRADING CO.,LTD

精工细作 品质自然卓越
Exquisite and scrupulous makes perfect



公司简介

HEBEI YIDI IMPORT AND EXPORT TRADING CO.,LTD.was established in 2015. Is a professional factory for ball screw, linear guide, Single Axis Actuator,ball spline and bearing products. We have a team of 200 employees, and it is our mission to provide customers with high-quality products and services. Our company has introduced advanced equipment from Germany and Taiwan to ensure the high efficiency and stable quality of the production process. we are very proud to have our own brand – YIDI, which represents our company's core values: innovation, quality and reliability. Our products are exported to more than 30 countries around the world, including Germany, United States, and France, and have been widely recognized for their excellent quality and competitive prices. We always adhere to customer demand-oriented, and constantly strive to improve product performance and technical level to meet the needs of different customers. Hebei Yidi Import and Export Trade Co., Ltd. is based on integrity and professionalism, and is committed to becoming a world-leading linear motion factory. We sincerely look forward to cooperating with you to create a better future together!

河北义迪进出口贸易有限公司成立于2015年，是一家专注于丝杆、导轨、直线模组、花键和轴承等产品的公司。我们拥有一个由200名员工组成的团队，以为客户提供高品质的产品和服务为己任。我们公司引进了来自德国和台湾的先进设备，以确保生产过程的高效和质量稳定。同时，我们非常自豪地拥有自己的品牌——YIDI，该品牌代表着我们公司的核心价值观：创新、质量和可靠性。我们的产品远销于德国、美国、法国等全球三十多个国家，以卓越的品质和竞争力的价格获得了广泛认可。我们始终坚持以客户需求为导向，不断提升产品的性能和技术水平，以满足不同客户的需求。河北义迪进出口贸易有限公司以诚信和专业为基石，致力于成为全球领先的进出口贸易公司。我们热忱期待与您的合作，共同创造美好未来！



▲ 智竹厂房



▲ 三丰三坐标测量机



▲ 数控车铣床



▲ 包装机



▲ 数控内圆磨床中心



▲ 车间一角



▲ 接待中心

产品目录 CONTENTS



鸭嘴圆珠杆系列
Ball screw end sockets

06-24



线性导轨系列
Linear guide series

25-32



圆珠杆支撑座系列
Ball screw end supports sockets

33-37



驱动一体型座圈
A motorization wheel integrated driving seat

38-40



球耳连接指器
Ball socket connector

41-42



直线滑动单元系列
Linear motion ball slide units series

43-49



圆柱直线导轨+光轴+系列
Cylinder linear rail series

50-52



滿漢姓釋系列
Full version not here

“中国医生在西藏期间向当地藏民传授了各种卫生知识，并免费治疗了各种疾病，受到藏民们的欢迎。当地藏民们还主动地献出了土地，要求所有的医生必须住在他们家，以便随时向他们治病。从那时起，藏民们开始有了卫生观念，懂得预防疾病，这是非常宝贵的。”^① 中国医生在西藏期间的工作，使藏民们认识到了卫生的重要性。

As a consequence of the rapid increase in the number of studies, the number of published papers has increased from 12 in 1980 to 104 in 1999, and the number of authors has increased from 10 to 100. The majority of the studies (70%) are based on a single source of information, although a small number of studies (10%) have used multiple sources of information, and some of the studies have used multiple sources of information.

碱性清洗剂系列
ALKALINE DETERGENT RANGE

“他先出来,然后冲着我哈哈大笑,说:‘真没想到吧!你这一辈子,居然会落到我手里!’”

11. The first group of authors had a more moderate, but significant, effect on the mean weight loss compared with the other groups, which lost 15.6% and 18.5% more weight, as was expected, compared with the first group (more moderate). In addition, the first group tended to follow a more moderate approach, with 10% of the subjects reporting more than 10% weight loss.



www.mhhe.com/9780130352371

[illegible]

* **Chlorophyll** is the green pigment in plants that captures light energy from the sun and converts it into chemical energy through the process of photosynthesis. It is found in the chloroplasts of plant cells.




调速性能优越系列
Ball-bearing motor with inverter


[illegible]

The authors are grateful to the following individuals for their assistance in the preparation of this manuscript: Suzanne L. Gaudin, M.D., and the staff of the Department of Pathology, University of California, San Francisco, CA; and the staff of the Department of Pathology, University of California, Los Angeles, CA.

精英深珠兰杆系列
Ball and blue rose series




SFS (DIN 69051 Form B) 塔珠螺杆规格表
Dimension Table of SFS (DIN 69051 Form B) Ball Screws

[illegible]

www.elsevier.com/locate/jmb

全國經濟 - 製造業生產指數 (Manufacturing)															
類別 (Category)	年	1	2	3	4	5	6	7	8	9	10	11	12	13	14
2000-01-01-0.0	18	1	1.4	2.4	-0.2	0.1	0.1	0.0	0.0	0.1	0.0-1P	0.0	0.0	0.0	0.0
2001-01-01-0.0	19	11	0.2	0.4	-0.2	0.0	-0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2002-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2003-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2004-01-01-0.0	10	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2005-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2006-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2007-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2008-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2009-01-01-0.0	10	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2010-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2011-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2012-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2013-01-01-0.0	10	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2014-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2015-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2016-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2017-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2018-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2019-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2020-01-01-0.0	10	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2021-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2022-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2023-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2024-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2025-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0
2026-01-01-0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0-1P	0.0	0.0	0.0	0.0	0.0

DFS (DIN 69051 Form B) 滾珠螺絲規格表
Dimension Table of Ball Screws (DIN 69051 Form B) Ball Screws


[illegible]

0000-0001-9000-0000

[illegible]

SFA遠球螺絲規格表

Dimension Table of SFA Ball Bearings

[illegible]

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd


SFNU | DING9051 Form 8 | 滾珠螺絲規格表

Runesetter Table of $\mathbb{N}M$ / Edit/Reset form / Mail/News

[illegible]

地址：中国浙江省宁波市江北区慈城街道 邮编：315100 电话：0574-27661111

SFU (DIN 69051 Form B) 滾珠螺絲規格表
Dinutaloo Table of SFU (DIN 69051) Form B Ball Screws




© 2005 The Authors
Journal compilation © 2005 Blackwell Publishing Ltd, *Journal of Internal Medicine* 258: 115–124

Model Name (No.)	Performance Metrics (Normalized)														
	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15
Model A (1001-1)	0.85	0.88	0.90	0.92	0.94	0.96	0.98	0.99	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Model B (1001-2)	0.82	0.85	0.87	0.89	0.91	0.93	0.95	0.97	0.98	0.99	1.00	1.00	1.00	1.00	1.00
Model C (1001-3)	0.80	0.83	0.85	0.87	0.89	0.91	0.93	0.95	0.97	0.98	0.99	1.00	1.00	1.00	1.00
Model D (1001-4)	0.78	0.81	0.83	0.85	0.87	0.89	0.91	0.93	0.95	0.97	0.98	0.99	1.00	1.00	1.00
Model E (1001-5)	0.75	0.78	0.80	0.82	0.84	0.86	0.88	0.90	0.92	0.94	0.96	0.98	0.99	1.00	1.00
Model F (1001-6)	0.72	0.75	0.77	0.79	0.81	0.83	0.85	0.87	0.89	0.91	0.93	0.95	0.97	0.99	1.00
Model G (1001-7)	0.70	0.72	0.74	0.76	0.78	0.80	0.82	0.84	0.86	0.88	0.90	0.92	0.94	0.96	0.98
Model H (1001-8)	0.68	0.70	0.72	0.74	0.76	0.78	0.80	0.82	0.84	0.86	0.88	0.90	0.92	0.94	0.96
Model I (1001-9)	0.65	0.68	0.70	0.72	0.74	0.76	0.78	0.80	0.82	0.84	0.86	0.88	0.90	0.92	0.94
Model J (1001-10)	0.62	0.65	0.67	0.69	0.71	0.73	0.75	0.77	0.79	0.81	0.83	0.85	0.87	0.89	0.91
Model K (1001-11)	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74	0.76	0.78	0.80	0.82	0.84	0.86	0.88
Model L (1001-12)	0.58	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74	0.76	0.78	0.80	0.82	0.84	0.86
Model M (1001-13)	0.55	0.58	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74	0.76	0.78	0.80	0.82	0.84
Model N (1001-14)	0.52	0.55	0.57	0.59	0.61	0.63	0.65	0.67	0.69	0.71	0.73	0.75	0.77	0.79	0.81
Model O (1001-15)	0.50	0.52	0.54	0.56	0.58	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74	0.76	0.78
Model P (1001-16)	0.48	0.50	0.52	0.54	0.56	0.58	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74	0.76
Model Q (1001-17)	0.45	0.48	0.50	0.52	0.54	0.56	0.58	0.60	0.62	0.64	0.66	0.68	0.70	0.72	0.74
Model R (1001-18)	0.42	0.45	0.47	0.49	0.51	0.53	0.55	0.57	0.59	0.61	0.63	0.65	0.67	0.69	0.71
Model S (1001-19)	0.40	0.42	0.44	0.46	0.48	0.50	0.52	0.54	0.56	0.58	0.60	0.62	0.64	0.66	0.68
Model T (1001-20)	0.38	0.40	0.42	0.44	0.46	0.48	0.50	0.52	0.54	0.56	0.58	0.60	0.62	0.64	0.66
Model U (1001-21)	0.35	0.38	0.40	0.42	0.44	0.46	0.48	0.50	0.52	0.54	0.56	0.58	0.60	0.62	0.64
Model V (1001-22)	0.32	0.35	0.37	0.39	0.41	0.43	0.45	0.47	0.49	0.51	0.53	0.55	0.57	0.59	0.61
Model W (1001-23)	0.30	0.32	0.34	0.36	0.38	0.40	0.42	0.44	0.46	0.48	0.50	0.52	0.54	0.56	0.58
Model X (1001-24)	0.28	0.30	0.32	0.34	0.36	0.38	0.40	0.42	0.44	0.46	0.48	0.50	0.52	0.54	0.56
Model Y (1001-25)	0.25	0.28	0.30	0.32	0.34	0.36	0.38	0.40	0.42	0.44	0.46	0.48	0.50	0.52	0.54
Model Z (1001-26)	0.22	0.25	0.27	0.29	0.31	0.33	0.35	0.37	0.39	0.41	0.43	0.45	0.47	0.49	0.51

地址: 深圳市福田区 华强北路 1001 号 10 楼 1001 室


DFU | DIN 69051 Form B | 鍍珠螺絲規格表
Dimension Table of DFU/DIN69051 Form B | Self Drilling

[illegible][illegible]

地址：深圳市福田区福强路3002号 邮编：518040 电话：0755-26180888

SFK滾珠螺桿規格表

Dimension Table of H-E Ball Bearings



© 2004 Blackwell Publishing Ltd

年份	地区	项目	主要指标												备注	数据来源	
			经济指标														
			1	2	3	4	5	6	7	8	9	10	11	12			
2010	北京	固定资产投资	1	1.2	1.5	1.8	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1
2011	北京	固定资产投资	1	1.3	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2
2012	北京	固定资产投资	1	1.4	1.7	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3
2013	北京	固定资产投资	1	1.5	1.8	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4
2014	北京	固定资产投资	1	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5
2015	北京	固定资产投资	1	1.7	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.6
2016	北京	固定资产投资	1	1.8	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7
2017	北京	固定资产投资	1	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5	5.8
2018	北京	固定资产投资	1	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.6	5.9
2019	北京	固定资产投资	1	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0
2020	北京	固定资产投资	1	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5	5.8	6.1
2021	北京	固定资产投资	1	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.6	5.9	6.2
2022	北京	固定资产投资	1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0	6.3
2023	北京	固定资产投资	1	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5	5.8	6.1	6.4
2024	北京	固定资产投资	1	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.6	5.9	6.2	6.5
2025	北京	固定资产投资	1	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0	6.3	6.6


地址：深圳市福田区 滨海大道 1000 号 10 楼 1001 室 电话：0755-26934111

683-0000-0001

[illegible]

SFN1 滾珠螺桿規格表

Displaying Table of Effort/Bali Summary




© 2003 Blackwell Publishing Ltd

品种名称	规格	单位	质量指标										水分 (%)	灰分 (%)	热值 (kJ/kg)		
			水分 (%)	灰分 (%)	挥发分 (%)	固定碳 (%)	硫 (%)	磷 (%)	氯 (%)	砷 (%)	汞 (%)	镉 (%)					
HT001B25-4	10	2	1.175	35.49	13	40	38	24	4.3	0.4	0.0	0.0	0.0	0.0	1005	1005	24
HT001B10-5	10	1	1.175	34.59	13	37	41	26	6.0	0.5	0.0	0.0	0.0	0.0	777	1045	14.5
HT001B25-4	25	2	1.175	34.57	17	33	45	40	5.3	0.4	0.0	0.0	0.0	0.0	1358	1052	20.24
HT001B25-4	25	2	1.175	40.83	11	31	30	46	8.3	0.2	0.0	0.0	0.0	0.0	1106	1086	23.75
HT001B10-4	10	1	1.165	48.79	14	30	28	33	6.0	0.1	0.0	0.0	0.0	0.0	944	1043	37.5
HT001B25-4	25	2	1.175	44.72	14	32	38	32	8.0	0.1	0.0	0.0	0.0	0.0	1407	1054	40.5
HT001B10-4	10	1	1.165	54.60	15	28	72	32	2	0	0.0	0.0	0.0	0.0	1107	7034	43.75
HT001B25-4	25	2	1.175	56.90	15	28	75	31	2	0	0.0	0.0	0.0	0.0	1106	5546	47.25
HT001B25-4	10	1	1.175	62.72	18	28	82	30	11	0.0	0.0	0.0	0.0	0.0	1008	10071	34.75
HT001B25-4	10	1	1.175	72.11	14	30	82	32	11	0.0	0.0	0.0	0.0	0.0	1106	11007	33.75
HT001B25-4	10	1	1.175	61.34	37	49	107	35	41	0.0	0.0	0.0	0.0	0.0	1473	1473	34.33
HT001B25-4	10	1	1.175	72.74	25	49	107	35	41	0.0	0.0	0.0	0.0	0.0	1473	1473	34.33

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

SFI遠珠煙杆規格表

Commission Table of Life-Skill Section


[illegible]

股票代码		2015年度主要财务数据 (单位: 万元)															
		营业收入	营业成本	营业利润	净利润	归属于母公司净利润	基本每股收益	稀释每股收益	加权平均净资产收益率	总资产	净资产	归属于上市公司股东的净资产	经营活动产生的现金流量净额	研发投入	研发费用	研发费用占营业收入比例	研发费用占净利润比例
001000	0	0	1,200	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,110	33	40	75	45	30	24	4.2	0	4.2	50	4	330	1380	24
001000	0	0	1,110	34	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24	4.3	0	4.3	50	4	330	1407	24
001000	0	0	1,200	34	50	75	45	30	24	4.5	0	4.5	50	4	340	1474	24
001000	0	0	1,110	33	40	75	45	30	24								

地址: 合肥路 10 号 邮编: 230026 电话: 0551-2631111 传真: 0551-2631111

DFI滾珠螺桿規格表

Dimensional Table of DEI Ball Screws



Copyright © 2004 by John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as may be permitted in writing by John Wiley & Sons, Inc. This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to CCC of the per copy fee of \$12.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from John Wiley & Sons, Inc. This publication is also registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to CCC of the per copy fee of \$12.00. This consent does not extend to multiple copying for promotional or commercial purposes. <http://www.intellect.com> For all other use, permission should be sought from John Wiley & Sons, Inc. This publication is also registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to CCC of the per copy fee of \$12.00. This consent does not extend to multiple copying for promotional or commercial purposes. <http://www.intellect.com>

日期 (Date)		系统组件、配置与资源使用 (Components)															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
2023-01-01	10	0	120	45	30	40	30	30	30	45	5	45	30	0	20	100	50
2023-01-02	10	0	115	50	35	35	35	35	35	40	5	40	35	0	20	100	50
2023-01-03	20	0	120	50	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-04	20	0	115	55	35	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-05	20	0	120	45	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-06	30	0	115	50	35	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-07	30	0	120	45	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-08	40	0	115	50	35	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-09	40	0	120	45	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-10	50	0	115	50	35	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-11	50	0	120	45	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-12	60	0	115	50	35	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-13	60	0	120	45	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-14	70	0	115	50	35	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-15	70	0	120	45	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-16	80	0	115	50	35	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-17	80	0	120	45	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-18	90	0	115	50	35	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-19	90	0	120	45	30	40	40	40	40	45	5	45	30	0	20	100	50
2023-01-20	100	0	115	50	35	40	40	40	40	45	5	45	30	0	20	100	50

地址：柏林波茨坦大街100号 柏林波茨坦大街100号 柏林波茨坦大街100号

SFY/SFE滚珠螺杆规格表

Dimension Table of SFY/SFE Ball Screws

转送级库存螺杆系列
Stocked ball screw series



螺距系列	螺距	螺母长度	螺母高度	螺母宽度	螺母厚度	螺母内径	螺母外径	螺母重量	螺母材料	螺母硬度	螺母寿命	螺母价格
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10


螺距系列	螺距	螺母长度	螺母高度	螺母宽度	螺母厚度	螺母内径	螺母外径	螺母重量	螺母材料	螺母硬度	螺母寿命	螺母价格
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFE1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10

注: 1. 螺母长度 L 是指从螺母端面到螺母中心线的距离。 2. 螺母高度 H 是指螺母的总高度。 3. 螺母宽度 W 是指螺母的总宽度。 4. 螺母厚度 T 是指螺母的总厚度。 5. 螺母内径 ID 是指螺母的内径。 6. 螺母外径 OD 是指螺母的外径。 7. 螺母重量 Wt 是指螺母的重量。 8. 螺母材料 M 是指螺母的材料。 9. 螺母硬度 H 是指螺母的硬度。 10. 螺母寿命 L 是指螺母的使用寿命。 11. 螺母价格 P 是指螺母的价格。

螺距系列	螺距	螺母长度	螺母高度	螺母宽度	螺母厚度	螺母内径	螺母外径	螺母重量	螺母材料	螺母硬度	螺母寿命	螺母价格
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
SFY1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10

BSH滚珠螺杆规格表


Dimension Table of BSH Ball Screws



螺距系列	螺距	螺母长度	螺母高度	螺母宽度	螺母厚度	螺母内径	螺母外径	螺母重量	螺母材料	螺母硬度	螺母寿命	螺母价格
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10
BSH1010-0.5	10	100	10	10	10	10	10	10	10	10	10	10

GTBA | DIN69051 Form B | 滚珠螺杆规格表

Dimension Table of GTBA (DIN69051 Form B) Ball Screws



单位: mm (Inch) 精度: 标准 (Inch) 公差: 标准 (Inch)

型号	导程 Pitch	球径 Ball Dia.	球数 Ball No.	球径尺寸						L ₁	L ₂	L ₃
				D ₁	D ₂	D ₃	D ₄	D ₅	D ₆			
GTBA1205-5.0	5	5.0	24	24	20	18	8	3	2.83	477	881	14.25
GTBA2010-5.0	10	10	12	36	32	30	8	3	3.63	470	845	14.25
GTBA1205-7.5	7.5	5.0	24	24	20	18	8	3	2.83	478	882	15.75
GTBA2010-7.5	7.5	10	12	36	32	30	8	3	3.63	468	838	15.75
GTBA1205-10.0	10	10	12	36	32	30	8	3	3.63	506	912	17.25
GTBA2010-10.0	10	10	12	36	32	30	8	3	3.63	410	801	17.25

XSY | DIN69051 Form B | 滚珠螺杆规格表

Dimension Table of XSY (DIN69051 Form B) Ball Screws



单位: mm (Inch) 精度: 标准 (Inch) 公差: 标准 (Inch)

型号	导程 Pitch	球径 Ball Dia.	球数 Ball No.	球径尺寸										L ₁	L ₂	L ₃
				D ₁	D ₂	D ₃	D ₄	D ₅	D ₆	D ₇	D ₈	D ₉	D ₁₀			
XSY1205-5.0	5	5.0	24	24	20	18	8	3	2.83	477	881	14.25	14.25	477	881	14.25

SCI滚珠螺杆规格表

Dimension Table of SCI Ball Screws



单位: mm (Inch) 精度: 标准 (Inch) 公差: 标准 (Inch)

型号	导程 Pitch	球径 Ball Dia.	球数 Ball No.	球径尺寸										L ₁	L ₂	L ₃
				D ₁	D ₂	D ₃	D ₄	D ₅	D ₆	D ₇	D ₈	D ₉	D ₁₀			
SCI 1205-5.0	5	5.0	24	24	20	18	8	3	2.83	477	881	14.25	14.25	477	881	14.25
SCI 2010-5.0	10	10	12	36	32	30	8	3	3.63	470	845	14.25	14.25	470	845	14.25
SCI 1205-7.5	7.5	5.0	24	24	20	18	8	3	2.83	478	882	15.75	15.75	478	882	15.75
SCI 2010-7.5	7.5	10	12	36	32	30	8	3	3.63	468	838	15.75	15.75	468	838	15.75
SCI 1205-10.0	10	10	12	36	32	30	8	3	3.63	506	912	17.25	17.25	506	912	17.25
SCI 2010-10.0	10	10	12	36	32	30	8	3	3.63	410	801	17.25	17.25	410	801	17.25

SFV滾珠懸杆規格表

Dimension Table of SFV Bolt/Scraper



© 1997 by Lee D. Strohman, Jr. All rights reserved. Printed in the United States of America. This book is published by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158-1500. This book is published by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158-1500.

[illegible]

DFV滾珠迴轉規格表

Dimension Table at PLY Mall Browse




1. 李强, 1997, 中国人口, 4, 中国人口出版社, 北京。
2. 李强, 1998, 中国人口, 4, 中国人口出版社, 北京。

Case (Model No.)	Test Results: Average Performance (Averages)															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Case 1 (Model A-1)	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85
Case 2 (Model A-2)	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95
Case 3 (Model A-3)	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105
Case 4 (Model A-4)	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115
Case 5 (Model A-5)	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125
Case 6 (Model A-6)	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	135
Case 7 (Model A-7)	70	75	80	85	90	95	100	105	110	115	120	125	130	135	140	145
Case 8 (Model A-8)	80	85	90	95	100	105	110	115	120	125	130	135	140	145	150	155
Case 9 (Model A-9)	90	95	100	105	110	115	120	125	130	135	140	145	150	155	160	165
Case 10 (Model A-10)	100	105	110	115	120	125	130	135	140	145	150	155	160	165	170	175

QF1滾珠螺桿規格表


Demographic Table of GFT Ball Review



年份	地区	人口 (万人)	GDP (亿元)	规模以上工业增加值 (亿元)										固定资产投资 (亿元)	社会消费品零售总额 (亿元)	进出口总额 (亿元)
				第一产业	第二产业	第三产业	第四产业	第五产业	第六产业	第七产业	第八产业	第九产业	第十产业			
2015	广东	115.5	5.1175	30.45	45.12	12.35	18.76	34.45	8.21	4.23	10.15	140.12	332.1	14.12		
2016	广东	116.5	5.2175	31.45	46.12	13.35	19.76	35.45	8.21	4.23	10.15	141.12	333.1	14.12		
2017	广东	117.5	5.3175	32.45	47.12	14.35	20.76	36.45	8.21	4.23	10.15	142.12	334.1	14.12		
2018	广东	118.5	5.4175	33.45	48.12	15.35	21.76	37.45	8.21	4.23	10.15	143.12	335.1	14.12		
2019	广东	119.5	5.5175	34.45	49.12	16.35	22.76	38.45	8.21	4.23	10.15	144.12	336.1	14.12		
2020	广东	120.5	5.6175	35.45	50.12	17.35	23.76	39.45	8.21	4.23	10.15	145.12	337.1	14.12		
2021	广东	121.5	5.7175	36.45	51.12	18.35	24.76	40.45	8.21	4.23	10.15	146.12	338.1	14.12		
2022	广东	122.5	5.8175	37.45	52.12	19.35	25.76	41.45	8.21	4.23	10.15	147.12	339.1	14.12		
2023	广东	123.5	5.9175	38.45	53.12	20.35	26.76	42.45	8.21	4.23	10.15	148.12	340.1	14.12		
2024	广东	124.5	6.0175	39.45	54.12	21.35	27.76	43.45	8.21	4.23	10.15	149.12	341.1	14.12		
2025	广东	125.5	6.1175	40.45	55.12	22.35	28.76	44.45	8.21	4.23	10.15	150.12	342.1	14.12		
2026	广东	126.5	6.2175	41.45	56.12	23.35	29.76	45.45	8.21	4.23	10.15	151.12	343.1	14.12		
2027	广东	127.5	6.3175	42.45	57.12	24.35	30.76	46.45	8.21	4.23	10.15	152.12	344.1	14.12		
2028	广东	128.5	6.4175	43.45	58.12	25.35	31.76	47.45	8.21	4.23	10.15	153.12	345.1	14.12		
2029	广东	129.5	6.5175	44.45	59.12	26.35	32.76	48.45	8.21	4.23	10.15	154.12	346.1	14.12		
2030	广东	130.5	6.6175	45.45	60.12	27.35	33.76	49.45	8.21	4.23	10.15	155.12	347.1	14.12		

OFU | DIN 69051 FORM B | 遠球螺絲規格表


Dimensi: Tabak 10 OFB / DIN 8061, FORM B / Bulk Box



型号	轴径 mm	轴长 mm	轴重 kg	性能指标										额定功率 kW	额定电压 V	额定电流 A	效率 %
				1	2	3	4	5	6	7	8	9	10				
YK1000-4	10	5	2.75	25	40	10	75	20	40	2.5	80	140	200	1000	34		
YK1000-4	20	5	3.75	35	50	10	85	25	45	3.5	85	145	1400	2000	38.25		
YK1000-4	22	5	3.75	40	50	10	85	25	45	3.5	85	145	1400	2000	38.75		
YK1000-4		10	6.75	40	50	10	100	25	45	3.5	85	145	2000	2000	38.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.1		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5	3.75	50	60	10	85	30	50	4	85	145	1400	2000	40.75		
YK1000-4		10	6.75	50	60	10	100	30	50	4	85	145	2000	2000	40.75		
YK1000-4	22	5															

HG系列：重负荷型滚珠线性滑轨

线性导轨产品型号

[illegible]

HGL系列线性导轨

H0: 基对地性無顯著差異 (單維結構模型)

 $\text{HCl}-\text{CA}/\text{HCl}-\text{HA}$ [illegible]

© 2000 Blackwell Science Ltd

HGH 系列线性导轨

HGH系列性能参数及尺寸表(需组或两方型)



 $\text{HOH}-\text{C}_4\text{HOH}-\text{HA}$ [illegible]

Figure 1

HGW系列刚性导轨



HG80系列弹性软管尺寸表(带组端法兰型)

HBM-GCHW-HC

[illegible]



主編 楊國興

MCN體小型滾珠絲性滑軌
MCN-C/MCN-H



数据 序号	设备名称	设备型号		设备规格		设备参数		设备性能		设备寿命		备注
		品牌	型号	尺寸	重量	功率	速度	精度	寿命	保修		
001	数控机床	品牌A	型号A	1000mm	1500kg	1000W	1000mm/min	0.01mm	10000h	3年	10000h	
002	数控机床	品牌B	型号B	1200mm	1800kg	1200W	1200mm/min	0.01mm	12000h	3年	12000h	
003	数控机床	品牌C	型号C	1400mm	2000kg	1400W	1400mm/min	0.01mm	14000h	3年	14000h	
004	数控机床	品牌D	型号D	1600mm	2200kg	1600W	1600mm/min	0.01mm	16000h	3年	16000h	
005	数控机床	品牌E	型号E	1800mm	2400kg	1800W	1800mm/min	0.01mm	18000h	3年	18000h	
006	数控机床	品牌F	型号F	2000mm	2600kg	2000W	2000mm/min	0.01mm	20000h	3年	20000h	
007	数控机床	品牌G	型号G	2200mm	2800kg	2200W	2200mm/min	0.01mm	22000h	3年	22000h	
008	数控机床	品牌H	型号H	2400mm	3000kg	2400W	2400mm/min	0.01mm	24000h	3年	24000h	
009	数控机床	品牌I	型号I	2600mm	3200kg	2600W	2600mm/min	0.01mm	26000h	3年	26000h	
010	数控机床	品牌J	型号J	2800mm	3400kg	2800W	2800mm/min	0.01mm	28000h	3年	28000h	

MGW微小型滚珠丝杆滑筒
MGW-C/MGW-H

[illegible]

Recommended Shaft End Shape 建议轴端尺寸 (固定端) — BK, FK, EK For Support Unit Type BK and FK and EK (Fixed Side)



Support Unit Model	Roll Screw Shaft OD	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID
Support Unit Model	Roll Screw Shaft OD	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID
BK-10	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
BK-12	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
BK-15	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
BK-18	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
BK-20	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
BK-25	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
BK-30	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
BK-35	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
BK-40	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0

Support Unit Model	Roll Screw Shaft OD	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID
Support Unit Model	Roll Screw Shaft OD	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID
FK-10	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
FK-12	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
FK-15	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
FK-18	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
FK-20	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
FK-25	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
FK-30	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
FK-35	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
FK-40	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0

Recommended Shaft End Shape 建议轴端尺寸 (支持端) — FF, EF, BF For Support Unit Types FF and EF and BF (Mounted Side)




Support Unit Model	Roll Screw Shaft OD	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID
Support Unit Model	Roll Screw Shaft OD	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID
FF-10	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
FF-12	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
FF-15	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
FF-18	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
FF-20	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
FF-25	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
FF-30	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
FF-35	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
FF-40	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0




Support Unit Model	Roll Screw Shaft OD	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID
Support Unit Model	Roll Screw Shaft OD	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID	Roll Screw Shaft ID
EF-10	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
EF-12	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
EF-15	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
EF-18	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
EF-20	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
EF-25	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
EF-30	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
EF-35	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
EF-40	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0

BK 丝杠支撑座
固定端 Fixed Side



丝杠规格 Ball Screw Size	Φ	L	Φ ₁	Φ ₂	Φ ₃	Φ ₄	Φ ₅	Φ ₆	Φ ₇	Φ ₈	Φ ₉	Φ ₁₀	Φ ₁₁	Φ ₁₂	Φ ₁₃	Φ ₁₄	Φ ₁₅	Φ ₁₆	Φ ₁₇	Φ ₁₈	Φ ₁₉	Φ ₂₀	Φ ₂₁	Φ ₂₂	Φ ₂₃	Φ ₂₄	Φ ₂₅	Φ ₂₆	Φ ₂₇	Φ ₂₈	Φ ₂₉	Φ ₃₀	Φ ₃₁	Φ ₃₂	Φ ₃₃	Φ ₃₄	Φ ₃₅	Φ ₃₆	Φ ₃₇	Φ ₃₈	Φ ₃₉	Φ ₄₀	Φ ₄₁	Φ ₄₂	Φ ₄₃	Φ ₄₄	Φ ₄₅	Φ ₄₆	Φ ₄₇	Φ ₄₈	Φ ₄₉	Φ ₅₀	Φ ₅₁	Φ ₅₂	Φ ₅₃	Φ ₅₄	Φ ₅₅	Φ ₅₆	Φ ₅₇	Φ ₅₈	Φ ₅₉	Φ ₆₀	Φ ₆₁	Φ ₆₂	Φ ₆₃	Φ ₆₄	Φ ₆₅	Φ ₆₆	Φ ₆₇	Φ ₆₈	Φ ₆₉	Φ ₇₀	Φ ₇₁	Φ ₇₂	Φ ₇₃	Φ ₇₄	Φ ₇₅	Φ ₇₆	Φ ₇₇	Φ ₇₈	Φ ₇₉	Φ ₈₀	Φ ₈₁	Φ ₈₂	Φ ₈₃	Φ ₈₄	Φ ₈₅	Φ ₈₆	Φ ₈₇	Φ ₈₈	Φ ₈₉	Φ ₉₀	Φ ₉₁	Φ ₉₂	Φ ₉₃	Φ ₉₄	Φ ₉₅	Φ ₉₆	Φ ₉₇	Φ ₉₈	Φ ₉₉	Φ ₁₀₀	Φ ₁₀₁	Φ ₁₀₂	Φ ₁₀₃	Φ ₁₀₄	Φ ₁₀₅	Φ ₁₀₆	Φ ₁₀₇	Φ ₁₀₈	Φ ₁₀₉	Φ ₁₁₀	Φ ₁₁₁	Φ ₁₁₂	Φ ₁₁₃	Φ ₁₁₄	Φ ₁₁₅	Φ ₁₁₆	Φ ₁₁₇	Φ ₁₁₈	Φ ₁₁₉	Φ ₁₂₀	Φ ₁₂₁	Φ ₁₂₂	Φ ₁₂₃	Φ ₁₂₄	Φ ₁₂₅	Φ ₁₂₆	Φ ₁₂₇	Φ ₁₂₈	Φ ₁₂₉	Φ ₁₃₀	Φ ₁₃₁	Φ ₁₃₂	Φ ₁₃₃	Φ ₁₃₄	Φ ₁₃₅	Φ ₁₃₆	Φ ₁₃₇	Φ ₁₃₈	Φ ₁₃₉	Φ ₁₄₀	Φ ₁₄₁	Φ ₁₄₂	Φ ₁₄₃	Φ ₁₄₄	Φ ₁₄₅	Φ ₁₄₆	Φ ₁₄₇	Φ ₁₄₈	Φ ₁₄₉	Φ ₁₅₀	Φ ₁₅₁	Φ ₁₅₂	Φ ₁₅₃	Φ ₁₅₄	Φ ₁₅₅	Φ ₁₅₆	Φ ₁₅₇	Φ ₁₅₈	Φ ₁₅₉	Φ ₁₆₀	Φ ₁₆₁	Φ ₁₆₂	Φ ₁₆₃	Φ ₁₆₄	Φ ₁₆₅	Φ ₁₆₆	Φ ₁₆₇	Φ ₁₆₈	Φ ₁₆₉	Φ ₁₇₀	Φ ₁₇₁	Φ ₁₇₂	Φ ₁₇₃	Φ ₁₇₄	Φ ₁₇₅	Φ ₁₇₆	Φ ₁₇₇	Φ ₁₇₈	Φ ₁₇₉	Φ ₁₈₀	Φ ₁₈₁	Φ ₁₈₂	Φ ₁₈₃	Φ ₁₈₄	Φ ₁₈₅	Φ ₁₈₆	Φ ₁₈₇	Φ ₁₈₈	Φ ₁₈₉	Φ ₁₉₀	Φ ₁₉₁	Φ ₁₉₂	Φ ₁₉₃	Φ ₁₉₄	Φ ₁₉₅	Φ ₁₉₆	Φ ₁₉₇	Φ ₁₉₈	Φ ₁₉₉	Φ ₂₀₀	Φ ₂₀₁	Φ ₂₀₂	Φ ₂₀₃	Φ ₂₀₄	Φ ₂₀₅	Φ ₂₀₆	Φ ₂₀₇	Φ ₂₀₈	Φ ₂₀₉	Φ ₂₁₀	Φ ₂₁₁	Φ ₂₁₂	Φ ₂₁₃	Φ ₂₁₄	Φ ₂₁₅	Φ ₂₁₆	Φ ₂₁₇	Φ ₂₁₈	Φ ₂₁₉	Φ ₂₂₀	Φ ₂₂₁	Φ ₂₂₂	Φ ₂₂₃	Φ ₂₂₄	Φ ₂₂₅	Φ ₂₂₆	Φ ₂₂₇	Φ ₂₂₈	Φ ₂₂₉	Φ ₂₃₀	Φ ₂₃₁	Φ ₂₃₂	Φ ₂₃₃	Φ ₂₃₄	Φ ₂₃₅	Φ ₂₃₆	Φ ₂₃₇	Φ ₂₃₈	Φ ₂₃₉	Φ ₂₄₀	Φ ₂₄₁	Φ ₂₄₂	Φ ₂₄₃	Φ ₂₄₄	Φ ₂₄₅	Φ ₂₄₆	Φ ₂₄₇	Φ ₂₄₈	Φ ₂₄₉	Φ ₂₅₀	Φ ₂₅₁	Φ ₂₅₂	Φ ₂₅₃	Φ ₂₅₄	Φ ₂₅₅	Φ ₂₅₆	Φ ₂₅₇	Φ ₂₅₈	Φ ₂₅₉	Φ ₂₆₀	Φ ₂₆₁	Φ ₂₆₂	Φ ₂₆₃	Φ ₂₆₄	Φ ₂₆₅	Φ ₂₆₆	Φ ₂₆₇	Φ ₂₆₈	Φ ₂₆₉	Φ ₂₇₀	Φ ₂₇₁	Φ ₂₇₂	Φ ₂₇₃	Φ ₂₇₄	Φ ₂₇₅	Φ ₂₇₆	Φ ₂₇₇	Φ ₂₇₈	Φ ₂₇₉	Φ ₂₈₀	Φ ₂₈₁	Φ ₂₈₂	Φ ₂₈₃	Φ ₂₈₄	Φ ₂₈₅	Φ ₂₈₆	Φ ₂₈₇	Φ ₂₈₈	Φ ₂₈₉	Φ ₂₉₀	Φ ₂₉₁	Φ ₂₉₂	Φ ₂₉₃	Φ ₂₉₄	Φ ₂₉₅	Φ ₂₉₆	Φ ₂₉₇	Φ ₂₉₈	Φ ₂₉₉	Φ ₃₀₀	Φ ₃₀₁	Φ ₃₀₂	Φ ₃₀₃	Φ ₃₀₄	Φ ₃₀₅	Φ ₃₀₆	Φ ₃₀₇	Φ ₃₀₈	Φ ₃₀₉	Φ ₃₁₀	Φ ₃₁₁	Φ ₃₁₂	Φ ₃₁₃	Φ ₃₁₄	Φ ₃₁₅	Φ ₃₁₆	Φ ₃₁₇	Φ ₃₁₈	Φ ₃₁₉	Φ ₃₂₀	Φ ₃₂₁	Φ ₃₂₂	Φ ₃₂₃	Φ ₃₂₄	Φ ₃₂₅	Φ ₃₂₆	Φ ₃₂₇	Φ ₃₂₈	Φ ₃₂₉	Φ ₃₃₀	Φ ₃₃₁	Φ ₃₃₂	Φ ₃₃₃	Φ ₃₃₄	Φ ₃₃₅	Φ ₃₃₆	Φ ₃₃₇	Φ ₃₃₈	Φ ₃₃₉	Φ ₃₄₀	Φ ₃₄₁	Φ ₃₄₂	Φ ₃₄₃	Φ ₃₄₄	Φ ₃₄₅	Φ ₃₄₆	Φ ₃₄₇	Φ ₃₄₈	Φ ₃₄₉	Φ ₃₅₀	Φ ₃₅₁	Φ ₃₅₂	Φ ₃₅₃	Φ ₃₅₄	Φ ₃₅₅	Φ ₃₅₆	Φ ₃₅₇	Φ ₃₅₈	Φ ₃₅₉	Φ ₃₆₀	Φ ₃₆₁	Φ ₃₆₂	Φ ₃₆₃	Φ ₃₆₄	Φ ₃₆₅	Φ ₃₆₆	Φ ₃₆₇	Φ ₃₆₈	Φ ₃₆₉	Φ ₃₇₀	Φ ₃₇₁	Φ ₃₇₂	Φ ₃₇₃	Φ ₃₇₄	Φ ₃₇₅	Φ ₃₇₆	Φ ₃₇₇	Φ ₃₇₈	Φ ₃₇₉	Φ ₃₈₀	Φ ₃₈₁	Φ ₃₈₂	Φ ₃₈₃	Φ ₃₈₄	Φ ₃₈₅	Φ ₃₈₆	Φ ₃₈₇	Φ ₃₈₈	Φ ₃₈₉	Φ ₃₉₀	Φ ₃₉₁	Φ ₃₉₂	Φ ₃₉₃	Φ ₃₉₄	Φ ₃₉₅	Φ ₃₉₆	Φ ₃₉₇	Φ ₃₉₈	Φ ₃₉₉	Φ ₄₀₀	Φ ₄₀₁	Φ ₄₀₂	Φ ₄₀₃	Φ ₄₀₄	Φ ₄₀₅	Φ ₄₀₆	Φ ₄₀₇	Φ ₄₀₈	Φ ₄₀₉	Φ ₄₁₀	Φ ₄₁₁	Φ ₄₁₂	Φ ₄₁₃	Φ ₄₁₄	Φ ₄₁₅	Φ ₄₁₆	Φ ₄₁₇	Φ ₄₁₈	Φ ₄₁₉	Φ ₄₂₀	Φ ₄₂₁	Φ ₄₂₂	Φ ₄₂₃	Φ ₄₂₄	Φ ₄₂₅	Φ ₄₂₆	Φ ₄₂₇	Φ ₄₂₈	Φ ₄₂₉	Φ ₄₃₀	Φ ₄₃₁	Φ ₄₃₂	Φ ₄₃₃	Φ ₄₃₄	Φ ₄₃₅	Φ ₄₃₆	Φ ₄₃₇	Φ ₄₃₈	Φ ₄₃₉	Φ ₄₄₀	Φ ₄₄₁	Φ ₄₄₂	Φ ₄₄₃	Φ ₄₄₄	Φ ₄₄₅	Φ ₄₄₆	Φ ₄₄₇	Φ ₄₄₈	Φ ₄₄₉	Φ ₄₅₀	Φ ₄₅₁	Φ ₄₅₂	Φ ₄₅₃	Φ ₄₅₄	Φ ₄₅₅	Φ ₄₅₆	Φ ₄₅₇	Φ ₄₅₈	Φ ₄₅₉	Φ ₄₆₀	Φ ₄₆₁	Φ ₄₆₂	Φ ₄₆₃	Φ ₄₆₄	Φ ₄₆₅	Φ ₄₆₆	Φ ₄₆₇	Φ ₄₆₈	Φ ₄₆₉	Φ ₄₇₀	Φ ₄₇₁	Φ ₄₇₂	Φ ₄₇₃	Φ ₄₇₄	Φ ₄₇₅	Φ ₄₇₆	Φ ₄₇₇	Φ ₄₇₈	Φ ₄₇₉	Φ ₄₈₀	Φ ₄₈₁	Φ ₄₈₂	Φ ₄₈₃	Φ ₄₈₄	Φ ₄₈₅	Φ ₄₈₆	Φ ₄₈₇	Φ ₄₈₈	Φ ₄₈₉	Φ ₄₉₀	Φ ₄₉₁	Φ ₄₉₂	Φ ₄₉₃	Φ ₄₉₄	Φ ₄₉₅	Φ ₄₉₆	Φ ₄₉₇	Φ ₄₉₈	Φ ₄₉₉	Φ ₅₀₀	Φ ₅₀₁	Φ ₅₀₂	Φ ₅₀₃	Φ ₅₀₄	Φ ₅₀₅	Φ ₅₀₆	Φ ₅₀₇	Φ ₅₀₈	Φ ₅₀₉	Φ ₅₁₀	Φ ₅₁₁	Φ ₅₁₂	Φ ₅₁₃	Φ ₅₁₄	Φ ₅₁₅	Φ ₅₁₆	Φ ₅₁₇	Φ ₅₁₈	Φ ₅₁₉	Φ ₅₂₀	Φ ₅₂₁	Φ ₅₂₂	Φ ₅₂₃	Φ ₅₂₄	Φ ₅₂₅	Φ ₅₂₆	Φ ₅₂₇	Φ ₅₂₈	Φ ₅₂₉	Φ ₅₃₀	Φ ₅₃₁	Φ ₅₃₂	Φ ₅₃₃	Φ ₅₃₄	Φ ₅₃₅	Φ ₅₃₆	Φ ₅₃₇	Φ ₅₃₈	Φ ₅₃₉	Φ ₅₄₀	Φ ₅₄₁	Φ ₅₄₂	Φ ₅₄₃	Φ ₅₄₄	Φ ₅₄₅	Φ ₅₄₆	Φ ₅₄₇	Φ ₅₄₈	Φ ₅₄₉	Φ ₅₅₀	Φ ₅₅₁	Φ ₅₅₂	Φ ₅₅₃	Φ ₅₅₄	Φ ₅₅₅	Φ ₅₅₆	Φ ₅₅₇	Φ ₅₅₈	Φ ₅₅₉	Φ ₅₆₀	Φ ₅₆₁	Φ ₅₆₂	Φ ₅₆₃	Φ ₅₆₄	Φ ₅₆₅	Φ ₅₆₆	Φ ₅₆₇	Φ ₅₆₈	Φ ₅₆₉	Φ ₅₇₀	Φ ₅₇₁	Φ ₅₇₂	Φ ₅₇₃	Φ ₅₇₄	Φ ₅₇₅	Φ ₅₇₆	Φ ₅₇₇	Φ ₅₇₈	Φ ₅₇₉	Φ ₅₈₀	Φ ₅₈₁	Φ ₅₈₂	Φ ₅₈₃	Φ ₅₈₄	Φ ₅₈₅	Φ ₅₈₆	Φ ₅₈₇	Φ ₅₈₈	Φ ₅₈₉	Φ ₅₉₀	Φ ₅₉₁	Φ ₅₉₂	Φ ₅₉₃	Φ ₅₉₄	Φ ₅₉₅	Φ ₅₉₆	Φ ₅₉₇	Φ ₅₉₈	Φ ₅₉₉	Φ ₆₀₀	Φ ₆₀₁	Φ ₆₀₂	Φ ₆₀₃	Φ ₆₀₄	Φ ₆₀₅	Φ ₆₀₆	Φ ₆₀₇	Φ ₆₀₈	Φ ₆₀₉	Φ ₆₁₀	Φ ₆₁₁	Φ ₆₁₂	Φ ₆₁₃	Φ ₆₁₄	Φ ₆₁₅	Φ ₆₁₆	Φ ₆₁₇	Φ ₆₁₈	Φ ₆₁₉	Φ ₆₂₀	Φ ₆₂₁	Φ ₆₂₂	Φ ₆₂₃	Φ ₆₂₄	Φ ₆₂₅	Φ ₆₂₆	Φ ₆₂₇	Φ ₆₂₈	Φ ₆₂₉	Φ ₆₃₀	Φ ₆₃₁	Φ ₆₃₂	Φ ₆₃₃	Φ ₆₃₄	Φ ₆₃₅	Φ ₆₃₆	Φ ₆₃₇	Φ ₆₃₈	Φ ₆₃₉	Φ ₆₄₀	Φ ₆₄₁	Φ ₆₄₂	Φ ₆₄₃	Φ ₆₄₄	Φ ₆₄₅	Φ ₆₄₆	Φ ₆₄₇	Φ ₆₄₈	Φ ₆₄₉	Φ ₆₅₀	Φ ₆₅₁	Φ ₆₅₂	Φ ₆₅₃	Φ ₆₅₄	Φ ₆₅₅	Φ ₆₅₆	Φ ₆₅₇	Φ ₆₅₈	Φ ₆₅₉	Φ ₆₆₀	Φ ₆₆₁	Φ ₆₆₂	Φ ₆₆₃	Φ ₆₆₄	Φ ₆₆₅	Φ ₆₆₆	Φ ₆₆₇	Φ ₆₆₈	Φ ₆₆₉	Φ ₆₇₀	Φ ₆₇₁	Φ ₆₇₂	Φ ₆₇₃	Φ ₆₇₄	Φ ₆₇₅	Φ ₆₇₆	Φ ₆₇₇	Φ ₆₇₈	Φ ₆₇₉	Φ ₆₈₀	Φ ₆₈₁	Φ ₆₈₂	Φ ₆₈₃	Φ ₆₈₄	Φ ₆₈₅	Φ ₆₈₆	Φ ₆₈₇	Φ ₆₈₈	Φ ₆₈₉	Φ ₆₉₀	Φ ₆₉₁	Φ ₆₉₂	Φ ₆₉₃	Φ ₆₉₄	Φ ₆₉₅	Φ ₆₉₆	Φ ₆₉₇	Φ ₆₉₈	Φ ₆₉₉	Φ ₇₀₀	Φ ₇₀₁	Φ ₇₀₂	Φ ₇₀₃	Φ ₇₀₄	Φ ₇₀₅	Φ ₇₀₆	Φ ₇₀₇	Φ ₇₀₈	Φ ₇₀₉	Φ ₇₁₀	Φ ₇₁₁	Φ ₇₁₂	Φ ₇₁₃	Φ ₇₁₄	Φ ₇₁₅	Φ ₇₁₆	Φ ₇₁₇	Φ ₇₁₈	Φ ₇₁₉	Φ ₇₂₀	Φ ₇₂₁	Φ ₇₂₂	Φ ₇₂₃	Φ ₇₂₄	Φ ₇₂₅	Φ ₇₂₆	Φ ₇₂₇	Φ ₇₂₈	Φ ₇₂₉	Φ ₇₃₀	Φ ₇₃₁	Φ ₇₃₂	Φ ₇₃₃	Φ ₇₃₄	Φ ₇₃₅	Φ ₇₃₆	Φ ₇₃₇	Φ ₇₃₈	Φ ₇₃₉	Φ ₇₄₀	Φ ₇₄₁	Φ ₇₄₂	Φ ₇₄₃	Φ ₇₄₄	Φ ₇₄₅	Φ ₇₄₆	Φ ₇₄₇	Φ ₇₄₈	Φ ₇₄₉	Φ ₇₅₀	Φ ₇₅₁	Φ ₇₅₂	Φ ₇₅₃	Φ ₇₅₄	Φ ₇₅₅	Φ ₇₅₆	Φ ₇₅₇	Φ ₇₅₈	Φ ₇₅₉	Φ ₇₆₀	Φ ₇₆₁	Φ ₇₆₂	Φ ₇₆₃	Φ ₇₆₄	Φ ₇₆₅	Φ ₇₆₆	Φ ₇₆₇	Φ ₇₆₈	Φ ₇₆₉	Φ ₇₇₀	Φ ₇₇₁	Φ ₇₇₂	Φ ₇₇₃	Φ ₇₇₄	Φ ₇₇₅	Φ ₇₇₆	Φ ₇₇₇	Φ ₇₇₈	Φ ₇₇₉	Φ ₇₈₀	Φ ₇₈₁	Φ ₇₈₂	Φ ₇₈₃	Φ ₇₈₄	Φ ₇₈₅	Φ ₇₈₆	Φ ₇₈₇	Φ ₇₈₈	Φ ₇₈₉	Φ ₇₉₀	Φ ₇₉₁	Φ ₇₉₂	Φ ₇₉₃	Φ ₇₉₄	Φ ₇₉₅	Φ ₇₉₆	Φ ₇₉₇	Φ ₇₉₈	Φ ₇₉₉	Φ ₈₀₀	Φ ₈₀₁	Φ ₈₀₂	Φ ₈₀₃	Φ ₈₀₄	Φ ₈₀₅	Φ ₈₀₆	Φ ₈₀₇	Φ ₈₀₈	Φ ₈₀₉	Φ ₈₁₀	Φ ₈₁₁	Φ ₈₁₂	Φ ₈₁₃	Φ ₈₁₄	Φ ₈₁₅	Φ ₈₁₆	Φ ₈₁₇	Φ ₈₁₈	Φ ₈₁₉	Φ ₈₂₀	Φ ₈₂₁	Φ ₈₂₂	Φ ₈₂₃	Φ ₈₂₄	Φ ₈₂₅	Φ ₈₂₆	Φ ₈₂₇	Φ ₈₂₈	Φ ₈₂₉	Φ ₈₃₀	Φ ₈₃₁	Φ ₈₃₂	Φ ₈₃₃	Φ ₈₃₄	Φ ₈₃₅	Φ ₈₃₆	Φ ₈₃₇	Φ ₈₃₈	Φ ₈₃₉	Φ ₈₄₀	Φ ₈₄₁	Φ ₈₄₂	Φ ₈₄₃	Φ ₈₄₄	Φ ₈₄₅	Φ ₈₄₆	Φ ₈₄₇	Φ ₈₄₈	Φ ₈₄₉	Φ ₈₅₀	Φ ₈₅₁	Φ ₈₅₂	Φ ₈₅₃	Φ ₈₅₄	Φ ₈₅₅	Φ ₈₅₆	Φ ₈₅₇	Φ ₈₅₈	Φ ₈₅₉	Φ ₈₆₀	Φ ₈₆₁	Φ ₈₆₂	Φ ₈₆₃	Φ ₈₆₄	Φ ₈₆₅	Φ ₈₆₆	Φ ₈₆₇	Φ ₈₆₈	Φ ₈₆₉	Φ ₈₇₀
-------------------------	---	---	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

FK 固定端 Fixed Side



尺寸代号 Model No.	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
FK-2	8	18.2	8	18.2	18.2	23	34	23	23	2.2	2.2	2.4	2.2	2												
FK-3	8	23	8	23	23	33	39	23	23	2.2	2.2	2.4	2.2	2												
FK-4	8	28	8	28	28	34	41	23	23	2.2	2.2	2.4	2.2	2												
FK-5	12	27	10	27	28.5	39	43	23	23	2.2	2.2	2.4	2.2	2												
FK-6	12	27	10	27	28.5	39	44	23	23	2.2	2.2	2.4	2.2	2												
FK-10	18	32	15	32	33	45	51	23	23	2.2	2.2	2.4	2.2	2												
FK-15	18	40	22	40	40	55	61	23	23	2.2	2.2	2.4	2.2	2												
FK-20	22	51	27	51	51	69	75	23	23	2.2	2.2	2.4	2.2	2												
FK-25	22	55	28	55	55	72	77	23	23	2.2	2.2	2.4	2.2	2												

FF 支持端 Floated Side




尺寸代号 Model No.	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
FF-6	8	18	8	18	18	23	34	23	23	2.2	2.2	2.4	2.2	2												
FF-10	8	23	8	23	23	33	39	23	23	2.2	2.2	2.4	2.2	2												
FF-15	8	28	8	28	28	34	41	23	23	2.2	2.2	2.4	2.2	2												
FF-20	12	27	10	27	28.5	39	43	23	23	2.2	2.2	2.4	2.2	2												
FF-25	12	27	10	27	28.5	39	44	23	23	2.2	2.2	2.4	2.2	2												
FF-30	18	32	15	32	33	45	51	23	23	2.2	2.2	2.4	2.2	2												
FF-35	18	40	22	40	40	55	61	23	23	2.2	2.2	2.4	2.2	2												
FF-40	22	51	27	51	51	69	75	23	23	2.2	2.2	2.4	2.2	2												
FF-45	22	55	28	55	55	72	77	23	23	2.2	2.2	2.4	2.2	2												

组合|一体型|传动座 A combination of integrated transmission seat KYJ10-57系列 KYJ10-60系列 KYJ12-57系列 KYJ12-60系列



序号 No.	名称 Name	数量 Quantity
1	轴承盖 (Bearing cover)	1
2	轴承盖 (Bearing cover)	1
3	轴承盖 (Bearing cover)	1
4	轴承盖 (Bearing cover)	1
5	轴承盖 (Bearing cover)	1



型号 Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
KYJ10-60	10.5	60	60	34	37	48	48	20	48	2.2	2.2	2.4	2.2	2												
KYJ12-60	25.5	60	60	34	37	48	48	20	48	2.2	2.2	2.4	2.2	2												

组合(一体型)传动座



A combination (integrated) driving seat

KVJ15-52系列
KVJ15-60系列
KVJ15-80系列
KVJ15-86系列



主要结构：单位

序号	零件名称	数量
1	轴套固定座 (Shaft bracket)	1
2	轴套固定座 (Shaft bracket)	1
3	轴套固定座 (Shaft bracket)	1
4	轴套固定座 (Shaft bracket)	1
5	轴套固定座 (Shaft bracket)	1



型号	Q	H	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
KVJ15-52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
KVJ15-60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
KVJ15-80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
KVJ15-86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86

组合(一体型)传动座


A combination (integrated) driving seat

KVJ26-80系列
KVJ26-86系列
KVJ26-110系列
KVJ26-130系列
KVJ26-110系列
KVJ26-130系列
KVJ30-130系列




主要结构：单位

序号	零件名称	数量
1	轴套固定座 (Shaft bracket)	1
2	轴套固定座 (Shaft bracket)	1
3	轴套固定座 (Shaft bracket)	1
4	轴套固定座 (Shaft bracket)	1
5	轴套固定座 (Shaft bracket)	1




型号	Q	H	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
KVJ26-80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
KVJ26-86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86
KVJ26-110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
KVJ26-130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130

DSG 螺母座



规格 (mm)	重量 (g)	U	B	W	L	E	F	G	H	I	J	K	M	N
DSG100	100g	22	30	26	15	7	30	8	24	30	M3	30	40	
DSG150	150g	22	30	40	20	10	30	8	24	40	M3	30	40	
	160g													
DSG200	200g	22	30	40	20	10	30	8	24	40	M3	30	40	
	210g													
DSG250	250g	22	30	40	20	10	30	8	24	40	M3	30	40	
	260g													
DSG300	300g	22	30	40	20	10	30	8	24	40	M3	30	40	
	310g													
DSG350	350g	22	30	40	20	10	30	8	24	40	M3	30	40	
	360g													
DSG400	400g	22	30	40	20	10	30	8	24	40	M3	30	40	
	410g													
DSG450	450g	22	30	40	20	10	30	8	24	40	M3	30	40	


BSG 螺母座



规格 (mm)	重量 (g)	U	B	W	L	E	F	G	H	I	J	K	M	N
BSG100	100g	22	30	40	20	8	20	8	10	40	M3	40	40	
BSG150	150g	30	40	40	23.2	8	20	7	20	40	M3	40	40	
BSG200	200g	40	40	40	27.2	8	24	7.5	25	40	M3	40	40	
BSG300	300g	60	40	40	33	10	30	10	30	40	M3	40	40	

直线滑动单元支撑系列
Linear motion ball slide units series

TBR




产品型号 Product Model	额定负载 Rated Load	行程 Stroke	安装孔间距 Mounting Hole Spacing	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position
TBR10	1000	100	100	10	10	10	10	10	10	10	10
TBR20	2000	200	200	20	20	20	20	20	20	20	20
TBR30	3000	300	300	30	30	30	30	30	30	30	30
TBR40	4000	400	400	40	40	40	40	40	40	40	40
TBR50	5000	500	500	50	50	50	50	50	50	50	50

直线支撑单元标准长度和尺寸
Linear Support Unit Standard Length and Dimensions

产品 Product	长度 Length	宽度 Width	高度 Height	重量 Weight
直线支撑单元 (标准型)	100	20	20	100
	200	20	20	200
	300	20	20	300
	400	20	20	400
	500	20	20	500
直线支撑单元 (加长型)	100	20	20	100
	200	20	20	200
	300	20	20	300
	400	20	20	400
	500	20	20	500

直线滑动单元滑块系列
Linear motion ball slide units series

TBR-LUU TBR-LUU




产品型号 Product Model	额定负载 Rated Load	行程 Stroke	安装孔间距 Mounting Hole Spacing	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position
TBR-LUU10	1000	100	100	10	10	10	10	10	10	10	10
TBR-LUU20	2000	200	200	20	20	20	20	20	20	20	20
TBR-LUU30	3000	300	300	30	30	30	30	30	30	30	30
TBR-LUU40	4000	400	400	40	40	40	40	40	40	40	40
TBR-LUU50	5000	500	500	50	50	50	50	50	50	50	50

TBR-LUU10	1000	100	100	10	10	10	10	10	10	10	10
TBR-LUU20	2000	200	200	20	20	20	20	20	20	20	20
TBR-LUU30	3000	300	300	30	30	30	30	30	30	30	30
TBR-LUU40	4000	400	400	40	40	40	40	40	40	40	40
TBR-LUU50	5000	500	500	50	50	50	50	50	50	50	50

直线滑动单元滑块系列 Linear motion ball slide unit series

SCS...UU SCS...LUU



型号名称 Model Name	尺寸 Size	重量 Weight	行程 Stroke	速度 Speed	精度 Accuracy	寿命 Life	备注 Remarks
SCS...UU	10	1.5	10	10	0.01	10000	
SCS...LUU	10	1.5	10	10	0.01	10000	
SCS...UU	15	2.5	15	15	0.01	10000	
SCS...LUU	15	2.5	15	15	0.01	10000	
SCS...UU	20	3.5	20	20	0.01	10000	
SCS...LUU	20	3.5	20	20	0.01	10000	
SCS...UU	25	4.5	25	25	0.01	10000	
SCS...LUU	25	4.5	25	25	0.01	10000	
SCS...UU	30	5.5	30	30	0.01	10000	
SCS...LUU	30	5.5	30	30	0.01	10000	
SCS...UU	35	6.5	35	35	0.01	10000	
SCS...LUU	35	6.5	35	35	0.01	10000	
SCS...UU	40	7.5	40	40	0.01	10000	
SCS...LUU	40	7.5	40	40	0.01	10000	
SCS...UU	45	8.5	45	45	0.01	10000	
SCS...LUU	45	8.5	45	45	0.01	10000	
SCS...UU	50	9.5	50	50	0.01	10000	
SCS...LUU	50	9.5	50	50	0.01	10000	
SCS...UU	55	10.5	55	55	0.01	10000	
SCS...LUU	55	10.5	55	55	0.01	10000	
SCS...UU	60	11.5	60	60	0.01	10000	
SCS...LUU	60	11.5	60	60	0.01	10000	
SCS...UU	65	12.5	65	65	0.01	10000	
SCS...LUU	65	12.5	65	65	0.01	10000	
SCS...UU	70	13.5	70	70	0.01	10000	
SCS...LUU	70	13.5	70	70	0.01	10000	
SCS...UU	75	14.5	75	75	0.01	10000	
SCS...LUU	75	14.5	75	75	0.01	10000	
SCS...UU	80	15.5	80	80	0.01	10000	
SCS...LUU	80	15.5	80	80	0.01	10000	
SCS...UU	85	16.5	85	85	0.01	10000	
SCS...LUU	85	16.5	85	85	0.01	10000	
SCS...UU	90	17.5	90	90	0.01	10000	
SCS...LUU	90	17.5	90	90	0.01	10000	
SCS...UU	95	18.5	95	95	0.01	10000	
SCS...LUU	95	18.5	95	95	0.01	10000	
SCS...UU	100	19.5	100	100	0.01	10000	
SCS...LUU	100	19.5	100	100	0.01	10000	

直线滑动单元支撑系列 Linear motion ball slide unit series

SH...A



型号名称 Model Name	尺寸 Size	重量 Weight	行程 Stroke	速度 Speed	精度 Accuracy	寿命 Life	备注 Remarks
SH...A	10	1.5	10	10	0.01	10000	
SH...A	15	2.5	15	15	0.01	10000	
SH...A	20	3.5	20	20	0.01	10000	
SH...A	25	4.5	25	25	0.01	10000	
SH...A	30	5.5	30	30	0.01	10000	
SH...A	35	6.5	35	35	0.01	10000	
SH...A	40	7.5	40	40	0.01	10000	
SH...A	45	8.5	45	45	0.01	10000	
SH...A	50	9.5	50	50	0.01	10000	
SH...A	55	10.5	55	55	0.01	10000	
SH...A	60	11.5	60	60	0.01	10000	
SH...A	65	12.5	65	65	0.01	10000	
SH...A	70	13.5	70	70	0.01	10000	
SH...A	75	14.5	75	75	0.01	10000	
SH...A	80	15.5	80	80	0.01	10000	
SH...A	85	16.5	85	85	0.01	10000	
SH...A	90	17.5	90	90	0.01	10000	
SH...A	95	18.5	95	95	0.01	10000	
SH...A	100	19.5	100	100	0.01	10000	

直线滑动单元支撑系列
Linear motion ball slide unit series

SBR




系列名称 Series Name	额定行程 Rated Stroke	行程 Stroke	重量 Weight	长度 Length	宽度 Width	高度 Height	安装孔间距 Mounting Hole Spacing	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	重量 Weight
SBR10	100	100	100	100	100	100	100	100	100	100	100	100
SBR20	200	200	200	200	200	200	200	200	200	200	200	200
SBR30	300	300	300	300	300	300	300	300	300	300	300	300
SBR40	400	400	400	400	400	400	400	400	400	400	400	400
SBR50	500	500	500	500	500	500	500	500	500	500	500	500
SBR60	600	600	600	600	600	600	600	600	600	600	600	600
SBR80	800	800	800	800	800	800	800	800	800	800	800	800
SBR100	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000

导轨支撑的标准长度和尺寸
Standard length and dimensions of the guide rail support

系列名称 Series Name	标准长度 Standard Length	标准长度 Standard Length	标准长度 Standard Length	标准长度 Standard Length	标准长度 Standard Length	标准长度 Standard Length	标准长度 Standard Length
SBR10	100	100	100	100	100	100	100
SBR20	200	200	200	200	200	200	200
SBR30	300	300	300	300	300	300	300
SBR40	400	400	400	400	400	400	400
SBR50	500	500	500	500	500	500	500
SBR60	600	600	600	600	600	600	600
SBR80	800	800	800	800	800	800	800
SBR100	1000	1000	1000	1000	1000	1000	1000

直线滑动单元滑块系列
Linear motion ball slide unit series

SBR...UU SBR...LUU



系列名称 Series Name	额定行程 Rated Stroke	行程 Stroke	重量 Weight	长度 Length	宽度 Width	高度 Height	安装孔间距 Mounting Hole Spacing	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	安装孔直径 Mounting Hole Diameter	安装孔位置 Mounting Hole Position	重量 Weight
SBR...UU	100	100	100	100	100	100	100	100	100	100	100	100
SBR...LUU	200	200	200	200	200	200	200	200	200	200	200	200
SBR...UU	300	300	300	300	300	300	300	300	300	300	300	300
SBR...LUU	400	400	400	400	400	400	400	400	400	400	400	400
SBR...UU	500	500	500	500	500	500	500	500	500	500	500	500
SBR...LUU	600	600	600	600	600	600	600	600	600	600	600	600
SBR...UU	800	800	800	800	800	800	800	800	800	800	800	800
SBR...LUU	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000

直线滑动单元支撑系列
Winding shape ball joint rod ends series

SHF...A



型号 Model No.	球头 Ball Connection	主要尺寸 (mm) (Main size)								球头重量 Weight kg	球头长度 Length mm
		W	H	B	R	L	A	C	D		
SHF 10A	8	10	10	8	10	10	10	10	10	0.01	10
SHF 15A	8	15	15	8	15	15	15	15	15	0.01	15
SHF 20A	8	20	20	8	20	20	20	20	20	0.01	20
SHF 25A	8	25	25	8	25	25	25	25	25	0.01	25
SHF 30A	8	30	30	8	30	30	30	30	30	0.01	30
SHF 35A	8	35	35	8	35	35	35	35	35	0.01	35
SHF 40A	8	40	40	8	40	40	40	40	40	0.01	40
SHF 45A	8	45	45	8	45	45	45	45	45	0.01	45
SHF 50A	8	50	50	8	50	50	50	50	50	0.01	50
SHF 55A	8	55	55	8	55	55	55	55	55	0.01	55
SHF 60A	8	60	60	8	60	60	60	60	60	0.01	60
SHF 65A	8	65	65	8	65	65	65	65	65	0.01	65
SHF 70A	8	70	70	8	70	70	70	70	70	0.01	70
SHF 75A	8	75	75	8	75	75	75	75	75	0.01	75
SHF 80A	8	80	80	8	80	80	80	80	80	0.01	80
SHF 85A	8	85	85	8	85	85	85	85	85	0.01	85
SHF 90A	8	90	90	8	90	90	90	90	90	0.01	90
SHF 95A	8	95	95	8	95	95	95	95	95	0.01	95
SHF 100A	8	100	100	8	100	100	100	100	100	0.01	100

空心轴
Hollow Shaft



空心轴：可根据客户要求定制不同规格的空心轴，长度、壁厚、材质、热处理等均可定制。
Hollow shaft: The hollow shafts can be customized according to customer requirements.

※ 单位：mm (inch) (Unit) 长度 (mm) (Length)
※ Unit: mm (inch) (Unit) Length (mm) (Length)

公制空心轴 (the metric system of hollow shaft)

型号 Model No.	外径 (mm) Outer Diameter	内径 (mm) Inner Diameter	公差 Tolerance		有效长度 Effective Length (mm)
			外径 Outer	内径 Inner	
SP12	12	10	±0.015	±0.015	12~15
SP15	15	12	±0.015	±0.015	15~18
SP20	20	18	±0.015	±0.015	20~25
SP25	25	22	±0.015	±0.015	25~30
SP30	30	28	±0.015	±0.015	30~35
SP35	35	32	±0.015	±0.015	35~40
SP40	40	38	±0.015	±0.015	40~45
SP45	45	42	±0.015	±0.015	45~50
SP50	50	48	±0.015	±0.015	50~55
SP55	55	52	±0.015	±0.015	55~60
SP60	60	58	±0.015	±0.015	60~65
SP65	65	62	±0.015	±0.015	65~70
SP70	70	68	±0.015	±0.015	70~75
SP75	75	72	±0.015	±0.015	75~80
SP80	80	78	±0.015	±0.015	80~85
SP85	85	82	±0.015	±0.015	85~90
SP90	90	88	±0.015	±0.015	90~95
SP95	95	92	±0.015	±0.015	95~100
SP100	100	98	±0.015	±0.015	100~105

圆柱直线导轨（光轴）系列
Cylindrical linear rail series

置他人在口味与数量上均占优势，博得了全机好评，周志华说，讨喜风，其实可以吹到“神机”为止，要防他机早一点出清机品，果能占半壁江山，这机早能出清机品也非难事。



时间: 1h/10
 难度: 400000-500000
 来源: [UOJ-47](#)
 题解见: [UOJ-47](#)
 标签: 图论, DFS, 树
 限制类型: 1024MB-1024MB
 评测语言: C++11 (g++5.0.1)
 作者: 李超, 李超, 李超, 李超, 李超
 题解: 1. 李超, 李超, 李超, 李超, 李超

種別	品名	単位	数量	単価	金額	備考
1	...	...	...	...	...	...
2	...	...	...	...	...	...
3	...	...	...	...	...	...
4	...	...	...	...	...	...
5	...	...	...	...	...	...
6	...	...	...	...	...	...
7	...	...	...	...	...	...
8	...	...	...	...	...	...
9	...	...	...	...	...	...
10	...	...	...	...	...	...
11	...	...	...	...	...	...
12	...	...	...	...	...	...
13	...	...	...	...	...	...
14	...	...	...	...	...	...
15	...	...	...	...	...	...
16	...	...	...	...	...	...
17	...	...	...	...	...	...
18	...	...	...	...	...	...
19	...	...	...	...	...	...
20	...	...	...	...	...	...
21	...	...	...	...	...	...
22	...	...	...	...	...	...
23	...	...	...	...	...	...
24	...	...	...	...	...	...
25	...	...	...	...	...	...
26	...	...	...	...	...	...
27	...	...	...	...	...	...
28	...	...	...	...	...	...
29	...	...	...	...	...	...
30	...	...	...	...	...	...
31	...	...	...	...	...	...
32	...	...	...	...	...	...
33	...	...	...	...	...	...
34	...	...	...	...	...	...
35	...	...	...	...	...	...
36	...	...	...	...	...	...
37	...	...	...	...	...	...
38	...	...	...	...	...	...
39	...	...	...	...	...	...
40	...	...	...	...	...	...
41	...	...	...	...	...	...
42	...	...	...	...	...	...
43	...	...	...	...	...	...
44	...	...	...	...	...	...
45	...	...	...	...	...	...
46	...	...	...	...	...	...
47	...	...	...	...	...	...
48	...	...	...	...	...	...
49	...	...	...	...	...	...
50	...	...	...	...	...	...
51	...	...	...	...	...	...
52	...	...	...	...	...	...
53	...	...	...	...	...	...
54	...	...	...	...	...	...
55	...	...	...	...	...	...
56	...	...	...	...	...	...
57	...	...	...	...	...	...
58	...	...	...	...	...	...
59	...	...	...	...	...	...
60	...	...	...	...	...	...
61	...	...	...	...	...	...
62	...	...	...	...	...	...
63	...	...	...	...	...	...
64	...	...	...	...	...	...
65	...	...	...	...	...	...
66	...	...	...	...	...	...
67	...	...	...	...	...	...
68	...	...	...	...	...	...
69	...	...	...	...	...	...
70	...	...	...	...	...	...
71	...	...	...	...	...	...
72	...	...	...	...	...	...
73	...	...	...	...	...	...
74	...	...	...	...	...	...
75	...	...	...	...	...	...
76	...	...	...	...	...	...
77	...	...	...	...	...	...
78	...	...	...	...	...	...
79	...	...	...	...	...	...

注：① 资料来源：《中国统计年鉴》2006年第1卷，中国统计出版社，2006年。

>>> /續的何德全三書(附錄) 點對點證道四行

[illegible][illegible]

When you use your computer to access the Internet, such as downloading music files, downloading e-mail, or downloading a Web page, you are sending and receiving data packets. These packets are sent and received over a network. A network is a group of computers that are connected to each other and can share data. A network can be as small as a single computer connected to a printer, or as large as a global network like the Internet.



9806 100%棉全羽絨被



TRANSDUCER SUPPLIES



編譯自 www.eci.it/risorse/italiano/italiano.htm



林國一、謝國雄主編 TLA76 TABLE OF CONTENTS



Figure 10. Average number of eggs per female for each species



© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 101–108



© 2007 Blackwell Publishing Ltd *Journal of Internal Medicine* 261: 105–114



主編者 王曉明、劉永福

机械手组合样式>>>>

Combination Styles Of Robot




KYJ 75S 单轴机械手——滚珠丝杆半自动系列

KYJ 75S Single Axis Robotic Ball screw type robot with half auto production

技术参数 Technology Parameter

KYJ-VBS-P10-L100-C7




规格参数表			
有效行程	100	150	200
重量	250	420	470

KYJ 95S单轴机械手——滚珠丝杆半密封系列
KYJ 95S Single-Axis robot - Ball screw type semi-sealed series

技术参数 Technology Parameter

KYJ-95S-P10-L200-C7





95S标准尺寸 (mm)				
额定行程	200	300	400	500
总长	335	435	535	635

KYJ 120S单轴机械手——滚珠丝杆半密封系列
KYJ 120S Single-Axis robot - Ball screw type semi-sealed series

技术参数 Technology Parameter

KYJ-120S-P10-L300-C7





120S标准尺寸 (mm)				
额定行程	200	300	400	500
总长	345	445	545	645

KYJ 150S单轴机械手——滚珠丝杆半密封系列

KYJ 150S Single-Axis robot - Ball screw type robot with half dust protection

技术参数 Technology Parameter

KYJ-150S-P10-L400-C7




150S标准尺寸 (mm)					
臂长	400	500	600	700	
重量	2.2	3.2	4.2	5.2	6.2

KYJ 175S单轴机械手——滚珠丝杆半密封系列

KYJ 175S Single-Axis robot - Ball screw type robot with half dust protection

技术参数 Technology Parameter

KYJ-175S-P10-L500-C7



175S标准尺寸 (mm)					
臂长	500	600	700	800	900
重量	3.2	4.2	5.2	6.2	7.2

直线轴承系列
Linear bearing series
LM...UU



型号 (Model)	长度 (Length)	重量 (Weight)	内径 (ID)	外径 (OD)	高度 (H)	安装尺寸 (Mounting Dimensions)	备注 (Remarks)
LM 1000	1000	1.2	10	12	10	10	10
LM 1200	1200	1.5	12	14	12	12	12
LM 1500	1500	1.8	15	17	15	15	15
LM 2000	2000	2.5	20	22	20	20	20
LM 2500	2500	3.2	25	27	25	25	25
LM 3000	3000	4.0	30	32	30	30	30
LM 3500	3500	4.8	35	37	35	35	35
LM 4000	4000	5.5	40	42	40	40	40
LM 4500	4500	6.2	45	47	45	45	45
LM 5000	5000	7.0	50	52	50	50	50
LM 5500	5500	7.8	55	57	55	55	55
LM 6000	6000	8.5	60	62	60	60	60
LM 6500	6500	9.2	65	67	65	65	65
LM 7000	7000	10.0	70	72	70	70	70
LM 7500	7500	10.8	75	77	75	75	75
LM 8000	8000	11.5	80	82	80	80	80
LM 8500	8500	12.2	85	87	85	85	85
LM 9000	9000	13.0	90	92	90	90	90
LM 9500	9500	13.8	95	97	95	95	95




型号 (Model)	长度 (Length)	重量 (Weight)	内径 (ID)	外径 (OD)	高度 (H)	安装尺寸 (Mounting Dimensions)	备注 (Remarks)
LM 1000	1000	1.2	10	12	10	10	10
LM 1200	1200	1.5	12	14	12	12	12
LM 1500	1500	1.8	15	17	15	15	15
LM 2000	2000	2.5	20	22	20	20	20
LM 2500	2500	3.2	25	27	25	25	25
LM 3000	3000	4.0	30	32	30	30	30
LM 3500	3500	4.8	35	37	35	35	35
LM 4000	4000	5.5	40	42	40	40	40
LM 4500	4500	6.2	45	47	45	45	45
LM 5000	5000	7.0	50	52	50	50	50
LM 5500	5500	7.8	55	57	55	55	55
LM 6000	6000	8.5	60	62	60	60	60
LM 6500	6500	9.2	65	67	65	65	65
LM 7000	7000	10.0	70	72	70	70	70
LM 7500	7500	10.8	75	77	75	75	75
LM 8000	8000	11.5	80	82	80	80	80
LM 8500	8500	12.2	85	87	85	85	85
LM 9000	9000	13.0	90	92	90	90	90
LM 9500	9500	13.8	95	97	95	95	95

直线轴承系列
Linear bearing series
LME...UU



基本参数 Basic data			尺寸参数 Size parameters			重量 Weight	
LMC...UU	公称直径 Nominal diameter	长度 Length	LMC...UU LMC...UU	LMC...UU LMC...UU	重量 Weight	重量 Weight	重量 Weight
LMC 100	100	100	LMC 100	LMC 100	100		
LMC 120	120	120	LMC 120	LMC 120	120		
LMC 140	140	140	LMC 140	LMC 140	140		
LMC 160	160	160	LMC 160	LMC 160	160		
LMC 180	180	180	LMC 180	LMC 180	180		
LMC 200	200	200	LMC 200	LMC 200	200		
LMC 220	220	220	LMC 220	LMC 220	220		
LMC 240	240	240	LMC 240	LMC 240	240		
LMC 260	260	260	LMC 260	LMC 260	260		
LMC 280	280	280	LMC 280	LMC 280	280		
LMC 300	300	300	LMC 300	LMC 300	300		
LMC 320	320	320	LMC 320	LMC 320	320		
LMC 340	340	340	LMC 340	LMC 340	340		
LMC 360	360	360	LMC 360	LMC 360	360		
LMC 380	380	380	LMC 380	LMC 380	380		
LMC 400	400	400	LMC 400	LMC 400	400		



尺寸参数 Size parameters										重量 Weight	
LM	公称直径 Nominal diameter	长度 Length	重量 Weight	重量 Weight	重量 Weight	重量 Weight	重量 Weight	重量 Weight	重量 Weight	重量 Weight	重量 Weight
LM 100	100	100	100	100	100	100	100	100	100	100	100
LM 120	120	120	120	120	120	120	120	120	120	120	120
LM 140	140	140	140	140	140	140	140	140	140	140	140
LM 160	160	160	160	160	160	160	160	160	160	160	160
LM 180	180	180	180	180	180	180	180	180	180	180	180
LM 200	200	200	200	200	200	200	200	200	200	200	200
LM 220	220	220	220	220	220	220	220	220	220	220	220
LM 240	240	240	240	240	240	240	240	240	240	240	240
LM 260	260	260	260	260	260	260	260	260	260	260	260
LM 280	280	280	280	280	280	280	280	280	280	280	280
LM 300	300	300	300	300	300	300	300	300	300	300	300
LM 320	320	320	320	320	320	320	320	320	320	320	320
LM 340	340	340	340	340	340	340	340	340	340	340	340
LM 360	360	360	360	360	360	360	360	360	360	360	360
LM 380	380	380	380	380	380	380	380	380	380	380	380
LM 400	400	400	400	400	400	400	400	400	400	400	400

直线轴承系列
Linear bearing series
LM LUU LME LUU



LM LUU LME LUU
规格范围: 10mm至100mm ID
材料: 6061-T6 铝合金

轴承 Bearing Type	轴径 Shaft Dia.	长度 Length (mm)	重量 Weight (g)		内径公差 Bore Tolerance (mm)		公差 Tolerance (mm)
			LM	LME	LUU	LUU	
LM10LUU	10	10	10	10	±0.010	±0.010	±0.010
LM12LUU	12	12	12	12	±0.010	±0.010	±0.010
LM15LUU	15	15	15	15	±0.010	±0.010	±0.010
LM20LUU	20	20	20	20	±0.010	±0.010	±0.010
LM25LUU	25	25	25	25	±0.010	±0.010	±0.010
LM30LUU	30	30	30	30	±0.010	±0.010	±0.010
LM35LUU	35	35	35	35	±0.010	±0.010	±0.010
LM40LUU	40	40	40	40	±0.010	±0.010	±0.010
LM45LUU	45	45	45	45	±0.010	±0.010	±0.010
LM50LUU	50	50	50	50	±0.010	±0.010	±0.010
LM55LUU	55	55	55	55	±0.010	±0.010	±0.010
LM60LUU	60	60	60	60	±0.010	±0.010	±0.010
LM65LUU	65	65	65	65	±0.010	±0.010	±0.010
LM70LUU	70	70	70	70	±0.010	±0.010	±0.010
LM75LUU	75	75	75	75	±0.010	±0.010	±0.010
LM80LUU	80	80	80	80	±0.010	±0.010	±0.010
LM85LUU	85	85	85	85	±0.010	±0.010	±0.010
LM90LUU	90	90	90	90	±0.010	±0.010	±0.010
LM95LUU	95	95	95	95	±0.010	±0.010	±0.010

轴承 Bearing Type	轴径 Shaft Dia.	长度 Length (mm)	重量 Weight (g)		内径公差 Bore Tolerance (mm)		公差 Tolerance (mm)
			LM	LME	LUU	LUU	
LM10LME	10	10	10	10	±0.010	±0.010	±0.010
LM12LME	12	12	12	12	±0.010	±0.010	±0.010
LM15LME	15	15	15	15	±0.010	±0.010	±0.010
LM20LME	20	20	20	20	±0.010	±0.010	±0.010
LM25LME	25	25	25	25	±0.010	±0.010	±0.010
LM30LME	30	30	30	30	±0.010	±0.010	±0.010
LM35LME	35	35	35	35	±0.010	±0.010	±0.010
LM40LME	40	40	40	40	±0.010	±0.010	±0.010
LM45LME	45	45	45	45	±0.010	±0.010	±0.010
LM50LME	50	50	50	50	±0.010	±0.010	±0.010
LM55LME	55	55	55	55	±0.010	±0.010	±0.010
LM60LME	60	60	60	60	±0.010	±0.010	±0.010
LM65LME	65	65	65	65	±0.010	±0.010	±0.010
LM70LME	70	70	70	70	±0.010	±0.010	±0.010
LM75LME	75	75	75	75	±0.010	±0.010	±0.010
LM80LME	80	80	80	80	±0.010	±0.010	±0.010
LM85LME	85	85	85	85	±0.010	±0.010	±0.010
LM90LME	90	90	90	90	±0.010	±0.010	±0.010
LM95LME	95	95	95	95	±0.010	±0.010	±0.010



LM LUU LME LUU
规格范围: 10mm至100mm ID
材料: 6061-T6 铝合金


轴承 Bearing Type	轴径 Shaft Dia.	长度 Length (mm)	重量 Weight (g)		内径公差 Bore Tolerance (mm)		公差 Tolerance (mm)
			LM	LME	LUU	LUU	
LM10LME	10	10	10	10	±0.010	±0.010	±0.010
LM12LME	12	12	12	12	±0.010	±0.010	±0.010
LM15LME	15	15	15	15	±0.010	±0.010	±0.010
LM20LME	20	20	20	20	±0.010	±0.010	±0.010
LM25LME	25	25	25	25	±0.010	±0.010	±0.010
LM30LME	30	30	30	30	±0.010	±0.010	±0.010
LM35LME	35	35	35	35	±0.010	±0.010	±0.010
LM40LME	40	40	40	40	±0.010	±0.010	±0.010
LM45LME	45	45	45	45	±0.010	±0.010	±0.010
LM50LME	50	50	50	50	±0.010	±0.010	±0.010
LM55LME	55	55	55	55	±0.010	±0.010	±0.010
LM60LME	60	60	60	60	±0.010	±0.010	±0.010
LM65LME	65	65	65	65	±0.010	±0.010	±0.010
LM70LME	70	70	70	70	±0.010	±0.010	±0.010
LM75LME	75	75	75	75	±0.010	±0.010	±0.010
LM80LME	80	80	80	80	±0.010	±0.010	±0.010
LM85LME	85	85	85	85	±0.010	±0.010	±0.010
LM90LME	90	90	90	90	±0.010	±0.010	±0.010
LM95LME	95	95	95	95	±0.010	±0.010	±0.010

轴承 Bearing Type	轴径 Shaft Dia.	长度 Length (mm)	重量 Weight (g)		内径公差 Bore Tolerance (mm)		公差 Tolerance (mm)
			LM	LME	LUU	LUU	
LM10LUU	10	10	10	10	±0.010	±0.010	±0.010
LM12LUU	12	12	12	12	±0.010	±0.010	±0.010
LM15LUU	15	15	15	15	±0.010	±0.010	±0.010
LM20LUU	20	20	20	20	±0.010	±0.010	±0.010
LM25LUU	25	25	25	25	±0.010	±0.010	±0.010
LM30LUU	30	30	30	30	±0.010	±0.010	±0.010
LM35LUU	35	35	35	35	±0.010	±0.010	±0.010
LM40LUU	40	40	40	40	±0.010	±0.010	±0.010
LM45LUU	45	45	45	45	±0.010	±0.010	±0.010
LM50LUU	50	50	50	50	±0.010	±0.010	±0.010
LM55LUU	55	55	55	55	±0.010	±0.010	±0.010
LM60LUU	60	60	60	60	±0.010	±0.010	±0.010
LM65LUU	65	65	65	65	±0.010	±0.010	±0.010
LM70LUU	70	70	70	70	±0.010	±0.010	±0.010
LM75LUU	75	75	75	75	±0.010	±0.010	±0.010
LM80LUU	80	80	80	80	±0.010	±0.010	±0.010
LM85LUU	85	85	85	85	±0.010	±0.010	±0.010
LM90LUU	90	90	90	90	±0.010	±0.010	±0.010
LM95LUU	95	95	95	95	±0.010	±0.010	±0.010

法兰直线轴承系列
Flange linear bearing series
LMF...UU LMK...UU

[illegible][illegible]

1990年1月1日-1990年12月31日			1991年1月1日-1991年12月31日		1992年1月1日-1992年12月31日		1993年1月1日-1993年12月31日		1994年1月1日-1994年12月31日		1995年1月1日-1995年12月31日			
年份	月份	天数	年份	月份	天数	年份	月份	天数	年份	月份	天数	年份	月份	天数
1990	1	31	1991	1	31	1992	1	31	1993	1	31	1994	1	31
1990	2	28	1991	2	28	1992	2	29	1993	2	28	1994	2	29
1990	3	31	1991	3	31	1992	3	31	1993	3	31	1994	3	30
1990	4	30	1991	4	30	1992	4	30	1993	4	30	1994	4	29
1990	5	31	1991	5	31	1992	5	31	1993	5	31	1994	5	31
1990	6	30	1991	6	30	1992	6	30	1993	6	30	1994	6	30
1990	7	31	1991	7	31	1992	7	31	1993	7	31	1994	7	31
1990	8	31	1991	8	31	1992	8	31	1993	8	31	1994	8	31
1990	9	30	1991	9	30	1992	9	30	1993	9	30	1994	9	30
1990	10	31	1991	10	31	1992	10	31	1993	10	31	1994	10	31
1990	11	30	1991	11	30	1992	11	30	1993	11	30	1994	11	30
1990	12	31	1991	12	31	1992	12	31	1993	12	31	1994	12	31



TEL: 078-96 18~19 FAX: 078-96 2000
E-mail: info@nissansales.co.jp

No.	Name	Age	Gender	Height (cm)	Weight (kg)	BMI	Blood Pressure (mmHg)		Heart Rate (b/min)	Respiratory Rate (b/min)	Oxygen Saturation (%)	Temperature (°C)
							Systolic	Diastolic				
1	John Doe	25	M	175	70	22.0	120	80	72	18	98	36.5
2	Jane Smith	30	F	160	55	21.5	110	75	68	16	97	36.2
3	Michael Brown	28	M	180	85	26.0	130	90	80	20	99	36.8
4	Sarah White	22	F	155	45	18.7	105	70	65	15	96	36.0
5	David Green	35	M	170	65	22.0	115	85	70	17	97	36.3
6	Emily Black	27	F	165	60	22.0	110	80	75	18	98	36.5
7	James Grey	32	M	178	75	23.5	120	85	78	19	98	36.6
8	Alice Blue	24	F	158	50	19.9	108	72	68	16	97	36.1
9	Robert Red	38	M	185	90	26.0	135	95	85	22	99	36.9
10	Olivia Yellow	21	F	152	40	17.1	102	68	62	14	95	35.8

[illegible]


法兰直线轴承系列
Flange linear bearing series
LMF...LUU LMK...LUU



轴承型号 Bearing Model	轴径 Shaft Diameter mm	轴套 Bushing mm	内径 Inner Diameter mm		外径 Outer Diameter mm	高度 Height mm	重量 Weight kg	
			mm	mm			mm	mm
LMF05-LUU	5	20	8	11	11	10	20	0.05
LMF05-LUU	5	25	8	11	11	10	20	0.05
LMF05-LUU	5	30	8	11	11	10	20	0.05
LMF05-LUU	5	35	8	11	11	10	20	0.05
LMF05-LUU	5	40	8	11	11	10	20	0.05
LMF05-LUU	5	45	8	11	11	10	20	0.05
LMF05-LUU	5	50	8	11	11	10	20	0.05
LMF05-LUU	5	55	8	11	11	10	20	0.05
LMF05-LUU	5	60	8	11	11	10	20	0.05
LMF05-LUU	5	65	8	11	11	10	20	0.05
LMF05-LUU	5	70	8	11	11	10	20	0.05
LMF05-LUU	5	75	8	11	11	10	20	0.05
LMF05-LUU	5	80	8	11	11	10	20	0.05
LMF05-LUU	5	85	8	11	11	10	20	0.05
LMF05-LUU	5	90	8	11	11	10	20	0.05
LMF05-LUU	5	95	8	11	11	10	20	0.05
LMF05-LUU	5	100	8	11	11	10	20	0.05

轴承型号 Bearing Model	轴径 Shaft Diameter mm	轴套 Bushing mm	内径 Inner Diameter mm		外径 Outer Diameter mm	高度 Height mm	重量 Weight kg	
			mm	mm			mm	mm
LMF05-LUU	5	20	8	11	11	10	20	0.05
LMF05-LUU	5	25	8	11	11	10	20	0.05
LMF05-LUU	5	30	8	11	11	10	20	0.05
LMF05-LUU	5	35	8	11	11	10	20	0.05
LMF05-LUU	5	40	8	11	11	10	20	0.05
LMF05-LUU	5	45	8	11	11	10	20	0.05
LMF05-LUU	5	50	8	11	11	10	20	0.05
LMF05-LUU	5	55	8	11	11	10	20	0.05
LMF05-LUU	5	60	8	11	11	10	20	0.05
LMF05-LUU	5	65	8	11	11	10	20	0.05
LMF05-LUU	5	70	8	11	11	10	20	0.05
LMF05-LUU	5	75	8	11	11	10	20	0.05
LMF05-LUU	5	80	8	11	11	10	20	0.05
LMF05-LUU	5	85	8	11	11	10	20	0.05
LMF05-LUU	5	90	8	11	11	10	20	0.05
LMF05-LUU	5	95	8	11	11	10	20	0.05
LMF05-LUU	5	100	8	11	11	10	20	0.05

法兰直线轴承系列
Flange linear bearing series



轴承型号 Bearing Model	轴径 Shaft Diameter mm	轴套 Bushing mm	内径 Inner Diameter mm		外径 Outer Diameter mm	高度 Height mm	重量 Weight kg	
			mm	mm			mm	mm
LMF05-LUU	5	20	8	11	11	10	20	0.05
LMF05-LUU	5	25	8	11	11	10	20	0.05
LMF05-LUU	5	30	8	11	11	10	20	0.05
LMF05-LUU	5	35	8	11	11	10	20	0.05
LMF05-LUU	5	40	8	11	11	10	20	0.05
LMF05-LUU	5	45	8	11	11	10	20	0.05
LMF05-LUU	5	50	8	11	11	10	20	0.05
LMF05-LUU	5	55	8	11	11	10	20	0.05
LMF05-LUU	5	60	8	11	11	10	20	0.05
LMF05-LUU	5	65	8	11	11	10	20	0.05
LMF05-LUU	5	70	8	11	11	10	20	0.05
LMF05-LUU	5	75	8	11	11	10	20	0.05
LMF05-LUU	5	80	8	11	11	10	20	0.05
LMF05-LUU	5	85	8	11	11	10	20	0.05
LMF05-LUU	5	90	8	11	11	10	20	0.05
LMF05-LUU	5	95	8	11	11	10	20	0.05
LMF05-LUU	5	100	8	11	11	10	20	0.05

轴承型号 Bearing Model	轴径 Shaft Diameter mm	轴套 Bushing mm	内径 Inner Diameter mm		外径 Outer Diameter mm	高度 Height mm	重量 Weight kg	
			mm	mm			mm	mm
LMF05-LUU	5	20	8	11	11	10	20	0.05
LMF05-LUU	5	25	8	11	11	10	20	0.05
LMF05-LUU	5	30	8	11	11	10	20	0.05
LMF05-LUU	5	35	8	11	11	10	20	0.05
LMF05-LUU	5	40	8	11	11	10	20	0.05
LMF05-LUU	5	45	8	11	11	10	20	0.05
LMF05-LUU	5	50	8	11	11	10	20	0.05
LMF05-LUU	5	55	8	11	11	10	20	0.05
LMF05-LUU	5	60	8	11	11	10	20	0.05
LMF05-LUU	5	65	8	11	11	10	20	0.05
LMF05-LUU	5	70	8	11	11	10	20	0.05
LMF05-LUU	5	75	8	11	11	10	20	0.05
LMF05-LUU	5	80	8	11	11	10	20	0.05
LMF05-LUU	5	85	8	11	11	10	20	0.05
LMF05-LUU	5	90	8	11	11	10	20	0.05
LMF05-LUU	5	95	8	11	11	10	20	0.05
LMF05-LUU	5	100	8	11	11	10	20	0.05

法兰直线轴承系列
Flange linear bearing series
LMH...UU




轴承型号	轴径	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差
LMH...UU	10	10	10	10	10	10	10	10	10
LMH...UU	12	12	12	12	12	12	12	12	12
LMH...UU	15	15	15	15	15	15	15	15	15
LMH...UU	18	18	18	18	18	18	18	18	18
LMH...UU	20	20	20	20	20	20	20	20	20
LMH...UU	25	25	25	25	25	25	25	25	25
LMH...UU	30	30	30	30	30	30	30	30	30
LMH...UU	35	35	35	35	35	35	35	35	35
LMH...UU	40	40	40	40	40	40	40	40	40
LMH...UU	45	45	45	45	45	45	45	45	45
LMH...UU	50	50	50	50	50	50	50	50	50

LMH...LUU



轴承型号	轴径	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差
LMH...LUU	10	10	10	10	10	10	10	10	10
LMH...LUU	12	12	12	12	12	12	12	12	12
LMH...LUU	15	15	15	15	15	15	15	15	15
LMH...LUU	18	18	18	18	18	18	18	18	18
LMH...LUU	20	20	20	20	20	20	20	20	20
LMH...LUU	25	25	25	25	25	25	25	25	25
LMH...LUU	30	30	30	30	30	30	30	30	30
LMH...LUU	35	35	35	35	35	35	35	35	35
LMH...LUU	40	40	40	40	40	40	40	40	40
LMH...LUU	45	45	45	45	45	45	45	45	45
LMH...LUU	50	50	50	50	50	50	50	50	50

法兰直线轴承系列
Flange linear bearing series



轴径公差: 10-12: ±0.012, 15-20: ±0.015, 25-30: ±0.020, 35-40: ±0.025, 45-50: ±0.030

轴径	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差
10	10	10	10	10	10	10	10	10	10
12	12	12	12	12	12	12	12	12	12
15	15	15	15	15	15	15	15	15	15
18	18	18	18	18	18	18	18	18	18
20	20	20	20	20	20	20	20	20	20
25	25	25	25	25	25	25	25	25	25
30	30	30	30	30	30	30	30	30	30
35	35	35	35	35	35	35	35	35	35
40	40	40	40	40	40	40	40	40	40
45	45	45	45	45	45	45	45	45	45
50	50	50	50	50	50	50	50	50	50




轴径公差: 10-12: ±0.012, 15-20: ±0.015, 25-30: ±0.020, 35-40: ±0.025, 45-50: ±0.030

轴径	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差	轴径公差
10	10	10	10	10	10	10	10	10	10
12	12	12	12	12	12	12	12	12	12
15	15	15	15	15	15	15	15	15	15
18	18	18	18	18	18	18	18	18	18
20	20	20	20	20	20	20	20	20	20
25	25	25	25	25	25	25	25	25	25
30	30	30	30	30	30	30	30	30	30
35	35	35	35	35	35	35	35	35	35
40	40	40	40	40	40	40	40	40	40
45	45	45	45	45	45	45	45	45	45
50	50	50	50	50	50	50	50	50	50

向螺旋线填充杆端关节轴承系列
lobat line up with ball roller end series

PHS



项目/年份	主要经济指标 (单位: 亿元)										固定资产投资		增长率 (%)	备注
	一	二	三	四	五	六	七	八	九	十	新增	累计		
2012	10	15	20	25	30	35	40	45	50	55	10	50	10	10%
2013	12	18	22	28	32	38	42	48	52	58	12	62	12	12%
2014	15	20	25	30	35	40	45	50	55	60	15	75	15	15%
2015	18	22	28	32	38	42	48	52	58	62	18	90	18	18%
2016	20	25	30	35	40	45	50	55	60	65	20	110	20	20%
2017	22	28	32	38	42	48	52	58	62	68	22	130	22	22%
2018	25	30	35	40	45	50	55	60	65	70	25	155	25	25%
2019	28	32	38	42	48	52	58	62	68	72	28	180	28	28%
2020	30	35	40	45	50	55	60	65	70	75	30	210	30	30%

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

[illegible]

（1）*Chlorobacterium* 綠菌屬，藍綠菌科有光合性


† *Values are means ± SD. *P < 0.05, **P < 0.01, ***P < 0.001.*

10 The authors of the paper have agreed to publish the paper in the journal.

本報告係根據行政院農業委員會農情調查隊之調查資料彙編而成，其內容與該隊之調查報告一致，如有錯誤，概與本報告無關。

外螺紋環墊杆端關節軸承系列
single end nut ends with inner thrust roller

POS



項目名 Item Name	項目1 (Item 1)										項目2 (Item 2)		合計 Total	備考 Remarks
	子項目A Sub A	子項目B Sub B	子項目C Sub C	子項目D Sub D	子項目E Sub E	子項目F Sub F	子項目G Sub G	子項目H Sub H	子項目I Sub I	子項目J Sub J	項目2 Item 2			
項目1-1	10	20	30	40	50	60	70	80	90	100	110	120	130	140
項目1-2	15	25	35	45	55	65	75	85	95	105	115	125	135	145
項目1-3	20	30	40	50	60	70	80	90	100	110	120	130	140	150
項目1-4	25	35	45	55	65	75	85	95	105	115	125	135	145	155
項目1-5	30	40	50	60	70	80	90	100	110	120	130	140	150	160
項目1-6	35	45	55	65	75	85	95	105	115	125	135	145	155	165
項目1-7	40	50	60	70	80	90	100	110	120	130	140	150	160	170
項目1-8	45	55	65	75	85	95	105	115	125	135	145	155	165	175
項目1-9	50	60	70	80	90	100	110	120	130	140	150	160	170	180
項目1-10	55	65	75	85	95	105	115	125	135	145	155	165	175	185
項目1-11	60	70	80	90	100	110	120	130	140	150	160	170	180	190
項目1-12	65	75	85	95	105	115	125	135	145	155	165	175	185	195
項目1-13	70	80	90	100	110	120	130	140	150	160	170	180	190	200
項目1-14	75	85	95	105	115	125	135	145	155	165	175	185	195	205
項目1-15	80	90	100	110	120	130	140	150	160	170	180	190	200	210
項目1-16	85	95	105	115	125	135	145	155	165	175	185	195	205	215
項目1-17	90	100	110	120	130	140	150	160	170	180	190	200	210	220
項目1-18	95	105	115	125	135	145	155	165	175	185	195	205	215	225
項目1-19	100	110	120	130	140	150	160	170	180	190	200	210	220	230
項目1-20	105	115	125	135	145	155	165	175	185	195	205	215	225	235
項目1-21	110	120	130	140	150	160	170	180	190	200	210	220	230	240
項目1-22	115	125	135	145	155	165	175	185	195	205	215	225	235	245
項目1-23	120	130	140	150	160	170	180	190	200	210	220	230	240	250
項目1-24	125	135	145	155	165	175	185	195	205	215	225	235	245	255
項目1-25	130	140	150	160	170	180	190	200	210	220	230	240	250	260
項目1-26	135	145	155	165	175	185	195	205	215	225	235	245	255	265
項目1-27	140	150	160	170	180	190	200	210	220	230	240	250	260	270
項目1-28	145	155	165	175	185	195	205	215	225	235	245	255	265	275
項目1-29	150	160	170	180	190	200	210	220	230	240	250	260	270	280
項目1-30	155	165	175	185	195	205	215	225	235	245	255	265	275	285

中国社科院网站: <http://www.cass.cn> 中国知网: <http://www.cnki.net>

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 259–266

1. 成組性差。每組僅有百來頭。

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

The authors of this study have no financial or other conflicts of interest.

© 2006 Pearson Education, Inc. All rights reserved. This publication is a copyrighted work and is intended for personal use only. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without prior written permission from Pearson Education, Inc.

内螺纹退装型自润滑杆端关节轴承系列

Self-lubricating rod end bearings female thread steel on pipe-removable
lubric maintenance free series

PH5A



轴承型号 Bearing Model	尺寸 (Dimensions) (mm)										重量 Weight (kg)	备注 Remarks
	d	D	B	d1	D1	L	L1	L2	L3	L4		
PH5A01	4	10	10	4	10	10	10	10	10	10	0.01	
PH5A02	5	12	12	5	12	12	12	12	12	12	0.02	
PH5A03	6	14	14	6	14	14	14	14	14	14	0.03	
PH5A04	8	18	18	8	18	18	18	18	18	18	0.05	
PH5A05	10	22	22	10	22	22	22	22	22	22	0.08	
PH5A06	12	26	26	12	26	26	26	26	26	26	0.12	
PH5A08	14	30	30	14	30	30	30	30	30	30	0.15	
PH5A10	16	34	34	16	34	34	34	34	34	34	0.20	
PH5A12	18	38	38	18	38	38	38	38	38	38	0.25	
PH5A14	20	42	42	20	42	42	42	42	42	42	0.30	
PH5A16	22	46	46	22	46	46	46	46	46	46	0.35	
PH5A18	24	50	50	24	50	50	50	50	50	50	0.40	
PH5A20	26	54	54	26	54	54	54	54	54	54	0.45	
PH5A22	28	58	58	28	58	58	58	58	58	58	0.50	
PH5A24	30	62	62	30	62	62	62	62	62	62	0.55	
PH5A26	32	66	66	32	66	66	66	66	66	66	0.60	
PH5A28	34	70	70	34	70	70	70	70	70	70	0.65	
PH5A30	36	74	74	36	74	74	74	74	74	74	0.70	

① 尺寸及重量仅供参考，最终以实际产品为准。② 材料：PH5A系列采用304不锈钢。③ 公差：按GB/T 18254-2002执行。④ 表面处理：镀锌或镀铬。⑤ 润滑：自润滑，无需外部润滑。⑥ 安装：按GB/T 18254-2002执行。⑦ 使用温度：-40℃~120℃。⑧ 使用寿命：≥100,000次。⑨ 认证：ISO 9001:2015, CE, RoHS。⑩ 备注：本产品为退装型，安装时需使用专用工具。

外螺纹退装型自润滑杆端关节轴承系列

Self-lubricating rod end bearings male thread steel on pipe-removable
lubric maintenance free series

PH5A



轴承型号 Bearing Model	尺寸 (Dimensions) (mm)										重量 Weight (kg)	备注 Remarks
	d	D	B	d1	D1	L	L1	L2	L3	L4		
PH5A01	4	10	10	4	10	10	10	10	10	10	0.01	
PH5A02	5	12	12	5	12	12	12	12	12	12	0.02	
PH5A03	6	14	14	6	14	14	14	14	14	14	0.03	
PH5A04	8	18	18	8	18	18	18	18	18	18	0.05	
PH5A05	10	22	22	10	22	22	22	22	22	22	0.08	
PH5A06	12	26	26	12	26	26	26	26	26	26	0.12	
PH5A08	14	30	30	14	30	30	30	30	30	30	0.15	
PH5A10	16	34	34	16	34	34	34	34	34	34	0.20	
PH5A12	18	38	38	18	38	38	38	38	38	38	0.25	
PH5A14	20	42	42	20	42	42	42	42	42	42	0.30	
PH5A16	22	46	46	22	46	46	46	46	46	46	0.35	
PH5A18	24	50	50	24	50	50	50	50	50	50	0.40	
PH5A20	26	54	54	26	54	54	54	54	54	54	0.45	
PH5A22	28	58	58	28	58	58	58	58	58	58	0.50	
PH5A24	30	62	62	30	62	62	62	62	62	62	0.55	
PH5A26	32	66	66	32	66	66	66	66	66	66	0.60	
PH5A28	34	70	70	34	70	70	70	70	70	70	0.65	
PH5A30	36	74	74	36	74	74	74	74	74	74	0.70	

① 尺寸及重量仅供参考，最终以实际产品为准。② 材料：PH5A系列采用304不锈钢。③ 公差：按GB/T 18254-2002执行。④ 表面处理：镀锌或镀铬。⑤ 润滑：自润滑，无需外部润滑。⑥ 安装：按GB/T 18254-2002执行。⑦ 使用温度：-40℃~120℃。⑧ 使用寿命：≥100,000次。⑨ 认证：ISO 9001:2015, CE, RoHS。⑩ 备注：本产品为退装型，安装时需使用专用工具。

单开缝剖心关节轴承（正常系列）
Spherical plain radial bearings with filling groove

GEG...ES



轴承代号 Bearing designation	尺寸 (mm) Dimensions (mm)					重量 (kg) Weight (kg)		备注 Remarks
	d	D	B	d1	d2	重量 重量 重量	重量 重量 重量	
GEG100	10	17	6	5	5	0.01	0.01	1.0000
GEG120	12	19	6	5	5	0.01	0.01	1.0000
GEG140	14	21	6	5	5	0.01	0.01	1.0000
GEG160	16	23	6	5	5	0.01	0.01	1.0000
GEG180	18	25	6	5	5	0.01	0.01	1.0000
GEG200	20	27	6	5	5	0.01	0.01	1.0000
GEG220	22	29	6	5	5	0.01	0.01	1.0000
GEG240	24	31	6	5	5	0.01	0.01	1.0000
GEG260	26	33	6	5	5	0.01	0.01	1.0000
GEG280	28	35	6	5	5	0.01	0.01	1.0000
GEG300	30	37	6	5	5	0.01	0.01	1.0000
GEG320	32	39	6	5	5	0.01	0.01	1.0000
GEG340	34	41	6	5	5	0.01	0.01	1.0000
GEG360	36	43	6	5	5	0.01	0.01	1.0000
GEG380	38	45	6	5	5	0.01	0.01	1.0000
GEG400	40	47	6	5	5	0.01	0.01	1.0000
GEG420	42	49	6	5	5	0.01	0.01	1.0000
GEG440	44	51	6	5	5	0.01	0.01	1.0000
GEG460	46	53	6	5	5	0.01	0.01	1.0000
GEG480	48	55	6	5	5	0.01	0.01	1.0000
GEG500	50	57	6	5	5	0.01	0.01	1.0000
GEG520	52	59	6	5	5	0.01	0.01	1.0000
GEG540	54	61	6	5	5	0.01	0.01	1.0000
GEG560	56	63	6	5	5	0.01	0.01	1.0000
GEG580	58	65	6	5	5	0.01	0.01	1.0000
GEG600	60	67	6	5	5	0.01	0.01	1.0000
GEG620	62	69	6	5	5	0.01	0.01	1.0000
GEG640	64	71	6	5	5	0.01	0.01	1.0000
GEG660	66	73	6	5	5	0.01	0.01	1.0000
GEG680	68	75	6	5	5	0.01	0.01	1.0000
GEG700	70	77	6	5	5	0.01	0.01	1.0000
GEG720	72	79	6	5	5	0.01	0.01	1.0000
GEG740	74	81	6	5	5	0.01	0.01	1.0000
GEG760	76	83	6	5	5	0.01	0.01	1.0000
GEG780	78	85	6	5	5	0.01	0.01	1.0000
GEG800	80	87	6	5	5	0.01	0.01	1.0000
GEG820	82	89	6	5	5	0.01	0.01	1.0000
GEG840	84	91	6	5	5	0.01	0.01	1.0000
GEG860	86	93	6	5	5	0.01	0.01	1.0000
GEG880	88	95	6	5	5	0.01	0.01	1.0000
GEG900	90	97	6	5	5	0.01	0.01	1.0000
GEG920	92	99	6	5	5	0.01	0.01	1.0000
GEG940	94	101	6	5	5	0.01	0.01	1.0000
GEG960	96	103	6	5	5	0.01	0.01	1.0000
GEG980	98	105	6	5	5	0.01	0.01	1.0000
GEG1000	100	107	6	5	5	0.01	0.01	1.0000

单开缝剖心关节轴承（中系列）
Spherical plain radial bearings

GEG...ES



轴承代号 Bearing designation	尺寸 (mm) Dimensions (mm)					重量 (kg) Weight (kg)		备注 Remarks
	d	D	B	d1	d2	重量 重量 重量	重量 重量 重量	
GEG100	10	17	6	5	5	0.01	0.01	1.0000
GEG120	12	19	6	5	5	0.01	0.01	1.0000
GEG140	14	21	6	5	5	0.01	0.01	1.0000
GEG160	16	23	6	5	5	0.01	0.01	1.0000
GEG180	18	25	6	5	5	0.01	0.01	1.0000
GEG200	20	27	6	5	5	0.01	0.01	1.0000
GEG220	22	29	6	5	5	0.01	0.01	1.0000
GEG240	24	31	6	5	5	0.01	0.01	1.0000
GEG260	26	33	6	5	5	0.01	0.01	1.0000
GEG280	28	35	6	5	5	0.01	0.01	1.0000
GEG300	30	37	6	5	5	0.01	0.01	1.0000
GEG320	32	39	6	5	5	0.01	0.01	1.0000
GEG340	34	41	6	5	5	0.01	0.01	1.0000
GEG360	36	43	6	5	5	0.01	0.01	1.0000
GEG380	38	45	6	5	5	0.01	0.01	1.0000
GEG400	40	47	6	5	5	0.01	0.01	1.0000
GEG420	42	49	6	5	5	0.01	0.01	1.0000
GEG440	44	51	6	5	5	0.01	0.01	1.0000
GEG460	46	53	6	5	5	0.01	0.01	1.0000
GEG480	48	55	6	5	5	0.01	0.01	1.0000
GEG500	50	57	6	5	5	0.01	0.01	1.0000
GEG520	52	59	6	5	5	0.01	0.01	1.0000
GEG540	54	61	6	5	5	0.01	0.01	1.0000
GEG560	56	63	6	5	5	0.01	0.01	1.0000
GEG580	58	65	6	5	5	0.01	0.01	1.0000
GEG600	60	67	6	5	5	0.01	0.01	1.0000
GEG620	62	69	6	5	5	0.01	0.01	1.0000
GEG640	64	71	6	5	5	0.01	0.01	1.0000
GEG660	66	73	6	5	5	0.01	0.01	1.0000
GEG680	68	75	6	5	5	0.01	0.01	1.0000
GEG700	70	77	6	5	5	0.01	0.01	1.0000
GEG720	72	79	6	5	5	0.01	0.01	1.0000
GEG740	74	81	6	5	5	0.01	0.01	1.0000
GEG760	76	83	6	5	5	0.01	0.01	1.0000
GEG780	78	85	6	5	5	0.01	0.01	1.0000
GEG800	80	87	6	5	5	0.01	0.01	1.0000
GEG820	82	89	6	5	5	0.01	0.01	1.0000
GEG840	84	91	6	5	5	0.01	0.01	1.0000
GEG860	86	93	6	5	5	0.01	0.01	1.0000
GEG880	88	95	6	5	5	0.01	0.01	1.0000
GEG900	90	97	6	5	5	0.01	0.01	1.0000
GEG920	92	99	6	5	5	0.01	0.01	1.0000
GEG940	94	101	6	5	5	0.01	0.01	1.0000
GEG960	96	103	6	5	5	0.01	0.01	1.0000
GEG980	98	105	6	5	5	0.01	0.01	1.0000
GEG1000	100	107	6	5	5	0.01	0.01	1.0000


滚轮滚针轴承系列
Wheel and pin bearing series

KR KRV



轴承型号 (Bearing Model)	尺寸 (Dimensions) (mm)									
	d	D	B	d ₁	D ₁	B ₁	W	W ₁	W ₂	W ₃
KR02	400010	10	5	5	400010	5	10	10	10	10
KR10	400010	10	11	5	400010	5	10	10	10	10
KR15	400010	15	15	5	400010	5	10	10	10	10
KR20	400010	20	20	10	400010	10	10	10	10	10
KR25	400010	25	25	10	400010	10	10	10	10	10
KR30	400010	30	30	15	400010	15	10	10	10	10
KR40	400010	40	40	20	400010	20	10	10	10	10
KR50	400010	50	50	25	400010	25	10	10	10	10
KR60	400010	60	60	30	400010	30	10	10	10	10
KR70	400010	70	70	35	400010	35	10	10	10	10
KR80	400010	80	80	40	400010	40	10	10	10	10
KR90	400010	90	90	45	400010	45	10	10	10	10
KR100	400010	100	100	50	400010	50	10	10	10	10
KR120	400010	120	120	60	400010	60	10	10	10	10
KR140	400010	140	140	70	400010	70	10	10	10	10
KR160	400010	160	160	80	400010	80	10	10	10	10
KR180	400010	180	180	90	400010	90	10	10	10	10
KR200	400010	200	200	100	400010	100	10	10	10	10

注: 本表, KRV为滚针轴承系列, 滚针为KRV, 滚针为KRV。
Note: This table is for KRV series, KRV is the roller, KRV is the roller.



轴承型号 (Bearing Model)	尺寸 (Dimensions) (mm)				重量 (Weight) (kg)			
	d	D	B	B ₁	W	W ₁	W ₂	W ₃
KR02	400010	10	5	5	0.001	0.001	0.001	0.001
KR10	400010	10	11	5	0.001	0.001	0.001	0.001
KR15	400010	15	15	5	0.001	0.001	0.001	0.001
KR20	400010	20	20	10	0.001	0.001	0.001	0.001
KR25	400010	25	25	10	0.001	0.001	0.001	0.001
KR30	400010	30	30	15	0.001	0.001	0.001	0.001
KR40	400010	40	40	20	0.001	0.001	0.001	0.001
KR50	400010	50	50	25	0.001	0.001	0.001	0.001
KR60	400010	60	60	30	0.001	0.001	0.001	0.001
KR70	400010	70	70	35	0.001	0.001	0.001	0.001
KR80	400010	80	80	40	0.001	0.001	0.001	0.001
KR90	400010	90	90	45	0.001	0.001	0.001	0.001
KR100	400010	100	100	50	0.001	0.001	0.001	0.001
KR120	400010	120	120	60	0.001	0.001	0.001	0.001
KR140	400010	140	140	70	0.001	0.001	0.001	0.001
KR160	400010	160	160	80	0.001	0.001	0.001	0.001
KR180	400010	180	180	90	0.001	0.001	0.001	0.001
KR200	400010	200	200	100	0.001	0.001	0.001	0.001

注: 本表, KRV为滚针轴承系列, 滚针为KRV, 滚针为KRV。
Note: This table is for KRV series, KRV is the roller, KRV is the roller.